KOLAR Document ID: 1522831

	WELL R			WWC-5		vision of Wat ources App.			Well ID		
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						ion Number Township Number Range Number			ge Number		
County: 1/4 1/4 1/4							T S R DEDW				
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:					
3 LOCATE WELL											
WITH "	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)						5 Latitude:(decimal degrees) Longitude:(decimal degrees)				
	SECTION DOX. 2) ft. 3) ft., or 4) \Box					Vell Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27					
	WELL'S STATIC WATER LEVEL:					Sour	Source for Latitude/Longitude:				
							unit make/model:				
NW	NE	D above land surface, measured on (mo-day-yr) Pump test data: Well water was ft.					(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
w	E	after hours pumping gpm						Mapper:			
SW	SE - 🗙	Well water was ft. after hours pumping gpm									
		Estimated Y	. spin		6 Elevation:ft. Ground Level TOC						
	S	Bore Hole Diameter: in. to ft.				Sour	Source: Land Survey GPS Topographic Map Other				
7 WELL WATER TO BE USED AS: 1. Domestic: 5. □ Public Water Supply: well ID 10. □ Oil Field Water Supply: lease											
House!		6. 🗌	Dewaterin		11. Test	11. Test Hole: well ID					
				echarge: well ID			Cased Uncased Geotechnical				
2. □ Livesto	☐ Livestock 8. ☐ Monitoring: well ID ☐ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores? a) Closed Loop ☐ Horizontal ☐ Vertical				
	3. □ Feedlot □ Air Sparge □ Soil Var										
4. Industrial Recovery Injection						13. 🗌 C	13. 🗌 Other (specify):				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
	□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)										
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. or ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft. to ft. to ft. Nearest source of possible contamination: No potential source of contamination within 200 ft.											
			Lateral Line] Livestock P	Pens	Insectic	ide Storage		
Sewer 1			Cess Pool		agoon	Fuel Storag			oned Water	Well	
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)											
Direction from well?											
10 FROM	TO	L	ITHOLO	GIC LOG	FROM	ТО	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS	
					Notes:	I	I				
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged											
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.											
Kansas Water Well Contractor's License No											
under the b	usiness name	Send one convit	WATER W	ELL OWNER and retain	one for your rea	ords Fee of \$	 \$5.00 fr	or each constructed we	<u></u> 11		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.											
Visit us at h	ttp://www.kdhel	ks.gov/waterwel	/index.html						KS	SA 82a-1212	