KOLAR Document ID: 1571878

WATER WELL RI Original Record		n WWC-5 ange in Well Use		ision of Water ources App. No.		Well ID		
1 LOCATION OF WA		Fraction		tion Number	Township Numb			
County:	TIER (TEEL)	1/4 1/4 1/4		tion i validoi	T S	R DE DW		
2 WELL OWNER: Last Name: First: Street or Rural Address where well is located (if unknown, distance and								
Business:		direction from i	n nearest town or intersection): If at owner's address, check here:					
Address:								
Address: City:	State:	ZIP:						
3 LOCATE WELL		•						
WITH "X" IN	"X", IN 4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	Depth(s) Groundwater Encountered: 1)			Longitude:(decimal degrees)				
N	2) ft. 3) ft., or 4) \[\square WELL'S STATIC WATER LEVEL:			Datum: ☐ WGS 84 ☐ NAD 83 ☐ NAD 27 Source for Latitude/Longitude:				
	below land surface, measured on (mo-day-yr			GPS (unit make/model:)				
NW NE - X				(WAAS enabled? Yes No)				
	Pump test data: Well water was ft.			☐ Land Survey ☐ Topographic Map				
W E				☐ Online Mapper:				
SW SE	Well water was ft.							
	after hours pumping gpr Estimated Yield:gpm			6 Elevatio	n :ft.	. ☐ Ground Level ☐ TOC		
S	Bore Hole Diameter: in. to			Source:				
mile					Other			
7 WELL WATER TO BE USED AS:								
1. Domestic:		Water Supply: well ID						
Household				11. Test Hole: well ID				
Lawn & Garden	— 1 &			☐ Cased ☐ Uncased ☐ Geotechnical				
☐ Livestock 2. ☐ Irrigation	<u> </u>			12. Geothermal: how many bores?				
3. ☐ Feedlot				b) Open Loop Surface Discharge Inj. of Water				
4. ☐ Industrial	☐ Recove							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:								
Water well disinfected? \square Yes \square No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter ft., Diameter ft.								
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)								
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From ft. to ft. to								
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
Nearest source of possible					□ Incoctic	aida Staraga		
□ Septic Tank □ Lateral Lines □ Pit Privy □ Livestock Pens □ Insecticide Storage □ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)								
Direction from well?								
10 FROM TO	LITHOL	LOGIC LOG	FROM	TO LI	THO. LOG (cont.) or	PLUGGING INTERVALS		
			Notes:		·			
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged								
under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No								
under the business name of								
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212								