

1 LOCATION OF WATER WELL:		FRACTION		Section Number		Township Number		Range Number	
Sedgwick		NE 1/4 NE 1/4 NW 1/4		4		T 26 S		R 2E E/W	

Distance and direction from nearest town or city street address of well if located within city?

At 77th N. & Webb Rd. go 1/2 m. E., 1/8 m. on S side Wichita, Kansas

2	WATER WELL OWNER:	MASON ENTERPRISES		Board of Agriculture, Division of Water Resource
	RR#, ST. ADDRESS, BOX #:	3810 Bridgeport Circle		
	CITY, STATE, ZIP CODE:	Wichita, Kansas	67219	
			Application Number:	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"> </div>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%;">4</td> <td style="width: 40%;"> DEPTH OF COMPLETED WELL 100 ft. </td> <td style="width: 50%; text-align: right;"> ELEVATION: </td> </tr> <tr> <td></td> <td style="text-align: center;"> Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft. </td> <td></td> </tr> <tr> <td></td> <td colspan="2"> WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 09/02/1993 </td> </tr> <tr> <td></td> <td colspan="2"> Pump test data: Well water was ft. after hours pumping gpm </td> </tr> <tr> <td></td> <td colspan="2"> Est. Yield gpm: Well water was ft. after hours pumping gpm </td> </tr> <tr> <td></td> <td colspan="2"> Bore Hole Diameter 12 in. to 100 ft., and in. to ft. </td> </tr> <tr> <td></td> <td colspan="2"> WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well </td> </tr> <tr> <td></td> <td colspan="2"> 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) </td> </tr> <tr> <td></td> <td colspan="2"> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well </td> </tr> <tr> <td></td> <td colspan="2"> Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No </td> </tr> </table>	4	DEPTH OF COMPLETED WELL 100 ft.	ELEVATION:		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.			WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 09/02/1993			Pump test data: Well water was ft. after hours pumping gpm			Est. Yield gpm: Well water was ft. after hours pumping gpm			Bore Hole Diameter 12 in. to 100 ft. , and in. to ft.			WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No	
4	DEPTH OF COMPLETED WELL 100 ft.	ELEVATION:																													
	Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.																														
	WELL'S STATIC WATER LEVEL 20 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 09/02/1993																														
	Pump test data: Well water was ft. after hours pumping gpm																														
	Est. Yield gpm: Well water was ft. after hours pumping gpm																														
	Bore Hole Diameter 12 in. to 100 ft. , and in. to ft.																														
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well																														
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)																														
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well																														
	Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No																														

5 TYPE OF CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS:		Glued <input checked="" type="checkbox"/> Clamped	
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (Specify below)		Welded	
2 PVC		4 ABS		7 Fiberglass		SDR-26		Threaded	
Blank casing Diameter 5 in. to 25		ft., Dia		in. to		ft., Dia		in. to ft.	
Casing height above land surface 12 in.,		weight 2.35		lbs. / ft.		Wall thickness or gauge No.		.214	
TYPE OF SCREEN OR PERFORATION MATERIAL:				5 Fiberglass		7 PVC		10 Asbestos-cement	
1 Steel		3 Stainless Steel		6 Concrete tile		8 RMP (SR)		11 other (specify)	
2 Brass		4 Galvanized steel				9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:				5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS:		from 25		ft. to 100		ft., From		ft. to	
		from		ft. to		ft., From		ft. to	
GRAVEL PACK INTERVALS:		from 24		ft. to 100		ft., From		ft. to	
		from		ft. to		ft., From		ft. to	

6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:		From 4 ft. to 24 ft.	ft., From	ft. to	ft., From
What is the nearest source of possible contamination:					
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandon water well	
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
			13 Insecticide storage	None Apparent	

Direction from well?	How many feet?
-----------------------------	-----------------------

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 09/02/1993 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 10/27/93 Under the business name of Harp Well & Pump Service, Inc. by (signature) Jane Frederick