

1 LOCATION OF WATER WELL: Fraction <u>SE 1/4 NE 1/4 NW 1/4</u> Section Number <u>22</u> Township Number <u>T 26 S</u> Range Number <u>R 2 E</u>		County: <u>Sedgwick</u>	
Distance and direction from nearest town or city street address of well, if located within city? <u>1/2 mi. Greenwich KS</u>			
2 WATER WELL OWNER: <u>TORNADO DRILLING</u> RR#, St. Address, Box # : City, State, ZIP Code : <u>P.O. Box 37 CANTON KS 67428</u>		Board of Agriculture, Division of Water Resources Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>80</u> ft. ELEVATION:	
		Depth(s) Groundwater Encountered 1. <u>33</u> ft. 2. <u>40</u> ft. 3. <u>50</u> ft.	
		WELL'S STATIC WATER LEVEL <u>33</u> ft. below land surface measured on mo/day/yr <u>1-9-90</u>	
		Pump test data: Well water was <u>40</u> ft. after <u>1</u> hours pumping <u>30</u> gpm	
		Est. Yield <u>30</u> gpm: Well water was <u>40</u> ft. after <u>1</u> hours pumping <u>30</u> gpm	
Bore Hole Diameter <u>11</u> in. to <u>80</u> ft. and <u>11</u> in. to <u>80</u> ft.		WELL WATER TO BE USED AS:	
1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well		2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well		Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted	
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped <u>X</u>	
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile		Welded <u>X</u> Threaded <u>X</u>	
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)		Blank casing diameter <u>5</u> in. to <u>30</u> ft. Dia <u>5</u> in. to <u>30</u> ft. Dia <u>5</u> in. to <u>30</u> ft.	
3 Fiberglass 7 PVC 10 Asbestos-cement		Casing height above land surface <u>12</u> in., weight <u>1.59</u> lbs./ft. Wall thickness or gauge No. <u>SR26</u>	
TYPE OF SCREEN OR PERFORATION MATERIAL:		11 Other (specify) <u>SR26</u>	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		12 None used (open hole)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		SCREEN OR PERFORATION OPENINGS ARE:	
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)		2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes	
7 Torch cut 10 Other (specify)		SCREEN-PERFORATED INTERVALS:	
From <u>30</u> ft. to <u>80</u> ft. From <u>30</u> ft. to <u>80</u> ft.		GRAVEL PACK INTERVALS:	
From <u>20</u> ft. to <u>80</u> ft. From <u>20</u> ft. to <u>80</u> ft.		6 GROUT MATERIAL:	
1 Neat cement 2 Cement grout 3 Bentonite 4 Other		Grout Intervals: From <u>0</u> ft. to <u>28</u> ft. From <u>28</u> ft. to <u>80</u> ft.	
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage		How many feet <u>OPEN FIELD</u>	
Direction from well?		FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 2 top soil		0 2 top soil	
2 28 clay		2 28 clay	
28 80 Gray SLATE		28 80 Gray SLATE	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>1-9-90</u> and this record is true to the best of my knowledge and belief, Kansas Water Well Contractor's License No. <u>1318</u> This Water Well Record was completed on (mo/day/yr) <u>1-12-90</u> under the business name of <u>Wenger Drilling</u> by (signature) <u>[Signature]</u>			