		WATE	R WELL RECORD	Form WWC-5		2a-1212		 	
	OF WATER WELL:	Fraction	CIVI		ction Number		ship Number	Range N	
County: Se		NW 1/4	/	NE 1/4	32	Т	26 s	R 2	€ w
	direction from nearest tow outh and 239! We	•			h Wich	ita ve	52895076	5 MW-2B	
				eet Nort	ii, WICII.	ita, KS	32093070	MW-2D	
_	ELL OWNER: Boeing	_	_			_			
	ess, Box # : P. O.						rd of Agriculture,	Division of Water	er Resources
	Code : Wichit			45 5			lication Number:		4.405
I LOCATE WE	ELL'S LOCATION WITH SECTION BOX:								
- T	T T T		water Encountered 1						
1	i i		p test data: Well wate						
N	₩ <mark>-</mark> - NE		A gpm: Well water						
	!	Poro Holo Diam	eter9in. to	9rwas 15.5	π.	aπer	nours p	umping	gpm
w	 		FO BE USED AS:						
-	; ;	1 Domestic		5 Public water				Injection well	
s	SW SE		3 Feediot	7 Laurand	iter supply	9 Dewateri	ng 12	Other (Specify	below)
	! !	2 Irrigation	4 Industrial	/ Lawn and (garden only	Monitori	ng well		
<u> </u>			bacteriological sample s	submitted to D					-
cl 7/05 05 0	\$ 1050	mitted	~ M/				infected? Yes		
	BLANK CASING USED:	_,	5 Wrought iron	8 Concre			IG JOINTS: Glue	•	
1 Steel	3 RMP (SF	4)	6 Asbestos-Cement		(specify bel			ded	
2)PVC	4 ABS	12 5	7 Fiberglass					eaded	
	liameter 2								
	above land surface		.in., weight		lbs				e . 4 0
	REEN OR PERFORATION		_	OPV	C		0 Asbestos-cerr		
1 Steel	3 Stainless		5 Fiberglass		IP (SR)		1 Other (specify	•	
2 Brass	4 Galvaniz		6 Concrete tile	9 AB	S		2 None used (o	pen hole)	
	PERFORATION OPENING			ed wrapped		8 Saw cu	t	11 None (ope	en hole)
1 Continu			6 Wire	wrapped		9 Drilled			
2 Louvere	ed shutter 4 Ke	y punched	7 Tarah						
		4		cut		10 Other (specify)		
SCREEN-PERF	FORATED INTERVALS:	From 1	2.5 ft. to	15.0		om	ft.	to	
SCREEN-PERF		From1	2.5 ft. to ft. to	15.0	ft., Fr	om	ft. ft.	to	
		From1	2.5 ft. to ft. to ft. to ft. to	15.5	ft., Fr	om	ft. ft. ft.	toto	
GRAV	FORATED INTERVALS:	From	2.5 ft. to	15.5	ft., Fr ft., Fr ft., Fr	om		tototo	ft. ft. ft. ft.
GRAV	FORATED INTERVALS: VEL PACK INTERVALS: ATERIAL: 1 Neat of	From	2.5 ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	15.5 (3)Bento	ft., Fr ft., Fr ft., Fr	om	ft. ft. ft. ft.	totototo	ftftft. ft.
GRAV 6 GROUT MA Grout Intervals:	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat c : From	From 1. From 1. From ement ft. to 8 . 0	2.5 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	15.0 15.5 0 ft.	ft., Fr ft., Fr ft., Fr onite to 1.2 • (om	ft	totototo	ftftftft.
GRAV 6 GROUT MA Grout Intervals:	FORATED INTERVALS: VEL PACK INTERVALS: ATERIAL: 1 Neat of	From 1. From 1. From ement ft. to 8 . 0	2.5 ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	15.0 15.5 0 ft.	ft., Fr. ft.	om	ft. ft. ft. ft.	totototo	ftftftft.
GRAV 6 GROUT MA Grout Intervals:	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat c : From	From	2.5 ft. to ft. to 2.0 ft. to 2.Cement grout ft., From 7 Pit privy	15.0 15.5 3Bento 0 ft.	ft., Fr. ft.	om	ft. ft. ft.	totototo	ftftftft.
GRAV 6 GROUT MA Grout Intervals: What is the nea	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat compared to the compa	From	2.5 ft. to ft. ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	15.0 15.5 3Bento 0 ft.	to 12.0	om	om	totototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat compared to the compa	From	2.5 ft. to ft. to 2.0 ft. to 2.Cement grout ft., From 7 Pit privy	15.0 15.5 3Bento 0 ft.	to	om	om	totototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of: From 0 arest source of possible tank 4 Latera lines 5 Cess ght sewer lines 6 Seepa well? Northwest	From1 From1 From ement ft. to8.0 contamination: al lines pool age pit	2.5 ft. to ft. ft. ft. ft. ft. ft. from 8 7 Pit privy 8 Sewage lage 9 Feedyard	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of interval of possible tank 4 Lateralines 5 Cessight sewer lines 6 Seepawell? Northwest TO	From	2.5 ft. to ft. ft. ft. ft. ft. ft. from 8 7 Pit privy 8 Sewage lage 9 Feedyard	15.0 15.5 3Bento 0 ft.	to	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to ft. ft. ft. ft. ft. ft. from 8 7 Pit privy 8 Sewage lage 9 Feedyard	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from t FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of interval of possible tank 4 Laters lines 5 Cess ight sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of interval of possible tank 4 Laters lines 5 Cess ight sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of interval of possible tank 4 Laters lines 5 Cess ight sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of interval of possible tank 4 Laters lines 5 Cess ight sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	10 Live 11 Fue 12 Ferd 13 Inse	om	om	tototototo	ft. ft. ft. ft. ft.
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0 1.0 1.0	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the control of the control of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat 5.5 Red-Brown	From	2.5 ft. to	15.0 15.5 3 Bento 0ft.	to	om	ft	tototottotto	
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from to FROM 0 1.0 1.0 7 CONTRACT	VEL PACK INTERVALS: VEL PACK INTERVALS: VETERIAL: 1 Neat of: From. 0 arest source of possible tank 4 Lateralines 5 Cess ght sewer lines 6 Seepawell? Northwest TO 1.0 Brown Fat 5.5 Red-Brown FOR'S OR LANDOWNER	From	2.5 ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft.	15.0 15.5 (3) Bento 0ft.	to	om	ft	tototototto	on and was
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer t 3 Watertis Direction from to FROM 0 1.0 1.0 7 CONTRACT completed on (recompleted on (recompleted)	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the second of possible stank 4 Laters source of possible stank 4 Laters sines 5 Cess sight sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat 5.5 Red-Brown Fat for the second of	From	2.5 ft. to	15.0 15.5 (3) Bento 0 ft.	tt., Fr. ft., F	om	ft.	tototototto	on and was
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from y FROM 0 1.0 1.0 7 CONTRACT completed on (r) Water Well Con	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the control of the control of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat 5.5 Red-Brown Fact for the control of the contr	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	to	om	ft.	tototototto	on and was
GRAV GROUT MA Grout Intervals: What is the nea 1 Septic t 2 Sewer I 3 Watertig Direction from y FROM 0 1.0 1.0 1.0 7 CONTRACT completed on (r) Water Well Conunder the busin	FORATED INTERVALS: VEL PACK INTERVALS: ITERIAL: 1 Neat of the control of the control of possible stank 4 Laters lines 5 Cess ght sewer lines 6 Seeps well? Northwest TO 1.0 Brown Fat 5.5 Red-Brown Fact for the control of the contr	From	2.5 ft. to	15.0 15.5 3 Bento 0 ft.	to	om	ft. ft. ft. ft. ft. 14 / 15 (16 (PLUGGING r (3) plugged un the best of my kr	tototo	on and was