		WATE	R WELL RECORD	Form WWC-5	KSA 82a		
LOCATION OF WA		Fraction		<b>I</b>	tion Number	Township Numb	
County: Sedgwi		NW 1/4		NE 1/4	32	т 26	S R 2 EW
		-	ddress of well if locate		1 1	500	05056 PM 0D
			East 35th St	reet North	, Wichit	a, KS 528	95076 RW-2B
WATER WELL ON							
RR#, St. Address, Bo	x # : P. O.	Box 7730	M/S K06-00			Board of Agric	ulture, Division of Water Resource
City, State, ZIP Code		ta, KS 672				Application Nu	
LOCATE WELL'S	OCATION WITH	4 DEPTH OF C	OMPLETED WELL	15.5	. ft. ELEVA	TION: Approx.	Surface Elev: 1425
AN "X" IN SECTIO	N I	Depth(s) Ground	water Encountered	1 6.0	ft. 2	2	ft. 3
ī !		WELL'S STATIC	WATER LEVEL	. 15.•.0 ft. be	elow land sur	face measured on mo.	<sub>/day/yr</sub> 12/22/89
NW	NE	Pump	test data: Well wat	er was	ft. a	fter ho	ours pumping gpm
	x '1	Est. Yield N/	A gpm: Well wat	er was	ft. a	fter ho	ours pumping gpm
<u>•</u>	F F	Bore Hole Diame	eter1.1in. to	, <u>. 15.</u> 5		and	in. to
* w		WELL WATER 1	O BE USED AS:	5 Public water		8 Air conditioning	
-   !	- SE	1 Domestic	3 Feedlot	6 Oil field wat	er supply	9 Dewatering	12 Other (Specify below)
3\\	3:	2 Irrigation	4 Industrial	7 Lawn and g	arden only (	10)Monitoring well	.,
1 i		Was a chemical/l	pacteriological sample	submitted to De	partment? Yo	esNoX	; if yes, mo/day/yr sample was sui
1	S	mitted			Wa	ter Well Disinfected?	Yes No X
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre	te tile	CASING JOINTS	: Glued Clamped
1 Steel	3 RMP (SF	₹)	6 Asbestos-Cement		specify below		Welded
(2)PVC	4 ABS		7 Fiberglass				Threaded. X
							in. to ft.
Casing height above	land surface	34	.in., weight	<u></u>	Ibs./	ft. Wall thickness or ga	auge No. Schedule 40
TYPE OF SCREEN (	OR PERFORATION	N MATERIAL:		<b>7)</b> PV		10 Asbesto	s-cement
1 Steel	3 Stainless	steel	5 Fiberglass	8 RM	P (SR)	11 Other (s	specify)
2 Brass	4 Galvaniz	ed steel	6 Concrete tile	9 ABS	3	12 None us	sed (open hole)
SCREEN OR PERFO	RATION OPENING	GS ARE:	5 Gau	zed wrapped		8 Saw cut	11 None (open hole)
1 Continuous sl	ot (3)Mi	ll slot	6 Wire wrapped			9 Drilled holes	
2 Louvered shu	tter 4 Ke	y punched	7 Torc	h cut		10 Other (specify)	
SCREEN-PERFORAT	ED INTERVALS:	From 1.2	2,5 ft. to.	15.0	ft., Fror	m	ft. toft
		From	ft. to .		ft., Fror	m	. , ft. to
GRAVEL PA	ACK INTERVALS:	From 1	<b>1 .</b> 5 ft. to .	15.5	ft., From	m	ft. toft
		From	ft. to		ft., Fror	m .	ft. to ft
6 GROUT MATERIA		ement (	2)Cement grout	3 Bentor	nite 4		
Grout Intervals: Fro	<sub>om</sub> 0	ft. to 10 . 5 .	ft., From!	9•5ft. t	to 1.1.•.5 .	ft., From	ft. to
What is the nearest s	ource of possible	contamination:			10 Lives	tock pens	14 Abandoned water well
<ol> <li>Septic tank</li> </ol>	4 Latera	al lines	7 Pit privy		1 Fuel:	storage	15 Oil well/Gas well
2 Sewer lines	5 Cess	pool	8 Sewage lagoon		12 Fertili	zer storage	16 Other (specify below)
3 Watertight set	wer lines 6 Seepa	age pit	9 Feedyard		13 Insec	ticide storage	
Direction from well?	Northwest				How mai	ny feet? 43	
FROM TO		LITHOLOGIC	LOG	FROM	то	PLUG	GING INTERVALS
0   1.0	Brown Fat	Clay					
1.0   15.5	Red-Brown	to Olive-	Gray Fat Clay				
	ļ						
	<b>.</b>						
CONTRACTOR'S	OR LANDOWNER	S CERTIFICATI	ON: This water well u	vas (1) construc	ted (2) reco	instructed or (3) plugo	ed under my jurisdiction and was
Completed on (mo/do:	WOOT)	11/22/9	OI1. IIIIS WALEI WEII V 9	Constitut	and this roce	rd is true to the heet of	my knowledge and belief. Kansa
			This Water \				1-16-90
			n Consultants		by (signat		
under the business n						e the correct Managed to	on three loves to Kansas Department
INSTRUCTIONS: Use of Health and Environ	typewriter or ball point   ment, Bureau of Water.	pen. <u>PLEASE PHESS</u> Topeka, Kansas 6662	<u>rinmi.i</u> and <u>Phini</u> clearly. 0-7320. Telephone: 913-296-	riease ill in blanks, 5545. Send one to \	WATER WELL O	WNER and retain one for you	ur records.
						/_	