

1 LOCATION OF WATER WELL: County: Butler	Fraction NE 1/4 NW 1/4 NE 1/4	Section Number 29	Township Number T 26S S	Range Number R 3E E/W
---	----------------------------------	----------------------	----------------------------	--------------------------

Distance and direction from nearest town or city street address of well if located within city?

15241 SW 40th Benton, Kansas 67017

2	WATER WELL OWNER:	Dan Pfeifer	
	RR#, St. Address, Box # :	15241 SW 40th	Board of Agriculture, Division of Water Resources
	City, State, ZIP Code :	Benton, Kansas 67017	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL... 80 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. ft.
 WELL'S STATIC WATER LEVEL . . . 20 ft. below land surface measured on mo/day/yr 8-21-95
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter . . . 9 1/2 . . . in. to . . . 80 . . . ft. and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was sub-
 mitted Water Well Disinfected? Yes X No

5	TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . . . <input checked="" type="checkbox"/> . . . Clamped . . . Welded . . . Threaded . . .
	1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	
	2 PVC	4 ABS	7 Fiberglass		

Blank casing diameter 5 in. to 40 ft. Dia in. to ft. Dia in. to ft.
Casing height above land surface 15 in. weight lbs./ft. Wall thickness or gauge No. SDR26

TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement	
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)	
			9 ABS	12 None used (open hole)	

SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	<input checked="" type="radio"/> 8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS:	From . . . 40 ft. to . . . 80 ft.,	From ft. to ft.
	From ft. to ft.,	From ft. to ft.
GRAVEL PACK INTERVALS:	From . . . 20 ft. to . . . 30 ft.,	From ft. to ft.
	From ft. to ft.,	From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 4 ft. to 20 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:					10 Livestock pens	14 Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	15 Oil well/Gas well		
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)		
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage			

Direction from well?	How many feet?
----------------------	----------------

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . 8-21-95 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 171 This Water Well Record was completed on (mo/day/year) . . . 8-22-95 under the business name of . . . G & S Drilling, Inc. by (signature) 