



## WATER WELL RECORD Form WWC-5 KSA 82a-1212

|   |    |  |   |  |  |  |
|---|----|--|---|--|--|--|
| 1 LOCATION OF WATER WELL:   |    | Fraction<br>NW $\frac{1}{4}$ NW $\frac{1}{4}$ NE $\frac{1}{4}$   | Section Number<br>16                              | Township Number<br>T 26S S                                   | Range Number<br>R 3E E/W   |  |
| Distance and direction from nearest town or city street address of well if located within city?<br>745 N. Kansas Ct. Benton, Kansas 67017   |    |  |   |  |  |  |
| 2 WATER WELL OWNER:   |    | Steve Gahagan<br>RR#, St. Address, Box # : 745 N. Kansas Ct.<br>City, State, ZIP Code : Benton, Kansas 67017   |   |  |  | Board of Agriculture, Division of Water Resources<br>Application Number:   |
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  |    |    |   |  |  | 4 DEPTH OF COMPLETED WELL . . . . . ft. ELEVATION: . . . . .<br>Depth(s) Groundwater Encountered 1. . . . . ft. 2. . . . . ft. 3. . . . . ft.<br>WELL'S STATIC WATER LEVEL . . . . . 25 ft. below land surface measured on mo/day/yr 5-17-96<br>Pump test data: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm<br>Est. Yield . . . . . gpm: Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm<br>Bore Hole Diameter . . . . . 9 in. to . . . . . 80 ft., and . . . . . in. to . . . . . ft.<br>WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well<br>1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)<br>2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well<br>Was a chemical/bacteriological sample submitted to Department? Yes . . . . . No . . . . . X . . . . . If yes, mo/day/yr sample was submitted<br>Water Well Disinfected? Yes X No |
| 5 TYPE OF BLANK CASING USED:  |    | 1 Steel<br><input checked="" type="checkbox"/> PVC   | 3 RMP (SR)<br>4 ABS                               | 5 Wrought iron<br>6 Asbestos-Cement<br>7 Fiberglass          | 8 Concrete tile<br>9 Other (specify below)                                     | CASING JOINTS: Glued . . . . . X . . . . . Clamped . . . . .<br>Welded . . . . . Threaded . . . . .  |
| Blank casing diameter . . . . . 5 in. to . . . . . 60 ft., Dia . . . . . in. to . . . . . ft., Dia . . . . . in. to . . . . . ft.   |    | Casing height above land surface . . . . . 20 in., weight . . . . . lbs./ft. Wall thickness or gauge No. . . . . SDR26   |   |  |  |  |
| TYPE OF SCREEN OR PERFORATION MATERIAL:   |    |  |   |  |  |  |
| 1 Steel<br>2 Brass  |    | 3 Stainless steel<br>4 Galvanized steel  | 5 Fiberglass<br>6 Concrete tile                   | 7 PVC<br>8 RMP (SR)<br>9 ABS                                 | 10 Asbestos-cement<br>11 Other (specify) . . . . .<br>12 None used (open hole) |  |
| SCREEN OR PERFORATION OPENINGS ARE:   |    |  |   |  |  |  |
| 1 Continuous slot<br>2 Louvered shutter   |    | 3 Mill slot<br>4 Key punched   | 5 Gauzed wrapped<br>6 Wire wrapped<br>7 Torch cut | 8 Saw cut<br>9 Drilled holes<br>10 Other (specify) . . . . . | 11 None (open hole)  |  |
| SCREEN-PERFORATED INTERVALS: From . . . . . 60 ft. to . . . . . 80 ft.  |    | From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.   |   |  |  |  |
| GRAVEL PACK INTERVALS: From . . . . . 20 ft. to . . . . . 80 ft.  |    | From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.   |   |  |  |  |
| 6 GROUT MATERIAL: 1 Neat cement<br>Grout Intervals: From . . . . . 4 ft. to . . . . . 20 ft., From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.  |    | 2 Cement grout<br>3 Bentonite<br>4 Other<br>10 Livestock pens<br>11 Fuel storage<br>12 Fertilizer storage<br>13 Insecticide storage<br>14 Abandoned water well<br>15 Oil well/Gas well<br>16 Other (specify below) |   |  |  |  |
| What is the nearest source of possible contamination:<br>1 Septic tank<br>2 Sewer lines<br>3 Watertight sewer lines<br>4 Lateral lines<br>5 Cess pool<br>6 Seepage pit<br>7 Pit privy<br>8 Sewage lagoon<br>9 Feedyard  |    |  |   |  |  |  |
| Direction from well? How many feet?   |    |  |   |  |  |  |
| FROM  | TO | LITHOLOGIC LOG   | FROM  | TO   | PLUGGING INTERVALS   |  |
| 0   | 26 | Clay   |   |  |  |  |
| 26  | 35 | Rock & Shale   |   |  |  |  |
| 35  | 47 | Shale  |   |  |  |  |
| 47  | 52 | Lime   |   |  |  |  |
| 52  | 68 | Shale (blue)   |   |  |  |  |
| 68  | 80 | Lime & Cherty lime   |   |  |  |  |
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) . . . . . 5-17-96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. . . . . 171 This Water Well Record was completed on (mo/day/year) . . . . . 6-7-96 under the business name of G & S Drilling, Inc. by (signature)  |    |  |   |  |  |  |

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.