

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction NW 1/4 NW 1/4 NW 1/4	Section Number 17	Township Number T 26 S	Range Number R 3e E/W
Distance and direction from nearest town or city street address of well if located within city?					
One mile west of Benton KS on K-254 * Monitor Well #3 (See attached map)					
2 WATER WELL OWNER:		KDOT, ATTN: Kevin Adams, Bureau of Design RR#, St. Address, Box # : Docking State Office Bldg.		Board of Agriculture, Division of Water Resources City, State, ZIP Code : Topeka, Kansas 66612 Application Number: None	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 19' ft. ELEVATION: unk. Depth(s) Groundwater Encountered 1. 15 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr 4/19/96 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 3.5 in. to ft. and in. to ft. WELL WATER TO BE USED AS: 10 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No			
5 TYPE OF BLANK CASING USED:		2	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded
Blank casing diameter		2 in. to 9 ft.	Dia in. to ft.	Dia in. to ft.	
Casing height above land surface		36 in.	weight sched. 40	lbs./ft.	Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:		3	7	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		3	5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)
SCREEN-PERFORATED INTERVALS:		From 19 ft. to 9 ft.	From ft. to ft.	From ft. to ft.	ft. to ft.
GRAVEL PACK INTERVALS:		From 19 ft. to 8 ft.	From ft. to ft.	From ft. to ft.	ft. to ft.
6 GROUT MATERIAL:		3 1 Neat cement Grout Intervals: From 8 ft. to surface ft.	2 Cement grout From ft. to ft.	3 Bentonite From ft. to ft.	4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 10 UST Excavation 11 None (open hole) 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)					
Direction from well? How many feet? (See attached map)					
FROM TO LITHOLOGIC LOG			FROM	TO	PLUGGING INTERVALS
0	4	Topsoil	0	9	Bentonite
4	15	Clay	9	19	Chlorinated sand
15	WTD	Sandy, wet clay			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/19/96 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 5/31/96 under the business name of Kansas Dept. of Transportation by (signature) <i>Kevin Adams</i>					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					