


1 LOCATION OF WATER WELL: County: <u>Butter</u>	Fraction <u>C</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$	Section Number <u>16</u>	Twp Number <u>T 26 S</u>	Range Number <u>R 3E E/W</u>			
Distance and direction from nearest town or city street address of well if located within city? <u>390 Norris Ct., Benton, KS</u>							
2 WATER WELL OWNER: RR#, St. Address, Box # : City, State, ZIP Code	Monte Ysidro <u>390 Norris Ct.</u> <u>Benton, KS 67017</u>				Board of Agriculture, Division of Water Resources Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4 DEPTH OF COMPLETED WELL <u>80</u> ft. ELEVATION: ft. 1. Depth(s) Groundwater Encountered ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <u>18</u> ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm Well water was ft. after hours pumping gpm Bore Hole Diameter <u>9</u> in. to <u>80</u> ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No				3-9-01		
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued X Clamped Welded Threaded Blank casing diameter in. to ft. Dia in. to ft. Dia in. to ft. Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No. <u>SDR26</u>				
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 11 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 10 Other (specify) ft. to ft.							
SCREEN-PERFORATED INTERVALS: From <u>60</u> ft. to <u>80</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>80</u> ft., From ft. to ft. From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: Grout Intervals: From <u>4</u> ft. to <u>20</u> ft., From ft. to ft., From ft. to ft.	1 Neat cement 2 Cement grout 3 Bentonite	4 Other	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)				
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard How many feet?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
<u>0</u>	<u>18</u>	<u>Clay</u>					
<u>18</u>	<u>28</u>	<u>Shale</u>					
<u>28</u>	<u>32</u>	<u>Lime</u>					
<u>32</u>	<u>48</u>	<u>Shale</u>					
<u>48</u>	<u>62</u>	<u>Lime</u> <u>4</u> <u>shale</u> <u>shale</u>					
<u>62</u>	<u>80</u>	<u>clay</u> <u>lime</u>					

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-9-01 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 171 This Water Well Record was completed on (mo/day/yr) 03-30-01

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0021. Telephone 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.