


1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: BUTLER	NE 1/4 SE 1/4 NW 1/4	5	T 26 S	R 3 EW

Distance and direction from nearest town or city street address of well if located within city?

2 MILES NW OF BENTON KS

2 WATER WELL OWNER:	COASTAL REFINING	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	1835 N. TOPEKA	Application Number:
City, State, ZIP Code :	ELDORADO, KS 67042	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 24.5 ft. ELEVATION: 1335
	Depth(s) Groundwater Encountered 1. 16 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 16 ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield 2 1/2 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 8 in. to 24.5 ft., and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter 2 in. to 14.5 ft. Dia			Threaded
Casing height above land surface 36 in. weight			lbs./ft. Wall thickness or gauge No. Sch 40
TYPE OF SCREEN OR PERFORATION MATERIAL:	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
1 Steel	3 Stainless steel	6 Concrete tile	9 ABS
2 Brass	4 Galvanized steel		12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
3 Mill slot			
4 Key punched			
SCREEN-PERFORATED INTERVALS: From 14.5 ft. to 24.5 ft.			
GRAVEL PACK INTERVALS: From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 12 ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
Direction from well?				How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	BROWN TOPSOIL TO CLAY			
7	11	LIGHT BROWN TO TAN CLAY			
11	16	SAME, WITH LIMESTONE STREAMERS			
16	24	TAN TO LIGHT BROWN CLAY, WET			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 7/10/01 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 581 This Water Well Record was completed on (mo/day/yr) 7/10/01 under the business name of LAYNE WESTERN, A DIV. OF LAYNE CHRISTENSEN by (signature) Kentman
--