

1 LOCATION OF WATER WELL: <b>Butler</b>		FRACTION <b>NE 1/4 NE 1/4 SW 1/4</b>			Section Number <b>21</b>	Township Number <b>T 26 S</b>	Range Number <b>R 3E F/W</b>
Distance and direction from nearest town or city street address of well if located within city? <b>14918 S.W. 35th Benton, Kansas</b>							
WATER WELL OWNER: <b>CLEMENS, Dwayne</b> RR#, ST. ADDRESS, BOX #: <b>14918 S.W. 35th</b> CITY, STATE, ZIP CODE: <b>Benton, Kansas</b>		Board of Agriculture, Division of Water Resource Application Number:					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL <b>45</b> ft. ELEVATION: Depth(s) groundwater Encountered <b>1</b> ft. <b>2</b> ft. <b>3</b> ft. WELL'S STATIC WATER LEVEL <b>25</b> FT. BELOW LAND SURFACE MEASURED ON mo/day/yr <b>10-03-2001</b> Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <b>12</b> in. to <b>45</b> ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes <b>No</b> X ; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes <b>X</b> No					
5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 6 Asbestos-Cement 7 Fiberglass		8 Concrete tile 9 Other (Specify below)		CASING JOINTS: Glued <b>X</b> Clamped Welded Threaded	
Blank casing Diameter <b>5</b> in. to <b>25</b> ft., Dia Casing height above land surface <b>12</b> in., weight <b>2.35</b> lbs. / ft.				ft., Dia		in. to ft.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 2 Brass 4 Galvanized steel		5 Fiberglass 6 Concrete tile		7 PVC 8 RMP (SR) 9 ABS		Wall thickness or gauge No. <b>.214</b> 10 Asbestos-cement 11 other (specify) 12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE: 1 Continous slot 3 Mill slot 2 Louvered shutter 4 Key punched		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut				8 Saw cut 9 Drilled holes 10 Other (specify)	
SCREEN-PERFORATION INTERVALS: from <b>25</b> ft. to <b>45</b> ft., From						ft. to ft.	
GRAVEL PACK INTERVALS: from <b>24</b> ft. to <b>45</b> ft., From						ft. to ft.	
6 GROUT MATERIAL: 1 Neat cement Grout Intervals: From ft. to ft. From		2 Cement grout		3 Bentonite		4 Other <b>bentonite hole plug</b> ft. From <b>4</b> ft. to <b>24</b> ft. 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit							
Direction from well? <b>North</b>		How many feet? <b>30</b>					
FROM <b>0</b> TO <b>3</b> <b>topsoil</b>			LITHOLOGIC LOG			FROM <b>3</b> TO <b>11</b>	
FROM <b>3</b> TO <b>11</b> <b>clay</b>							
FROM <b>11</b> TO <b>45</b> <b>brown shale</b>							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10-03-2001</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>236</b> This Water Well Record was completed on (mo/day/yr) <b>10-5-2001</b>							
Under the business name of <b>Harp Well &amp; Pump Service, Inc.</b> by (signature) <b>Todd S. Harp</b>							