

WATER WELL RECORD

Form WWC-5

KSA 82a-1212

ID No.

1	LOCATION OF WATER WELL: County: Butler	Fraction SW 1/4 SW 1/4 SW 1/4	Section Number 16	Township Number T 26 S	Range Number R 3 E
Distance and direction from nearest town or city street address of well if located within city? 1 1/2 MILE EAST OF BUTLER ROAD ON SW 30TH ST					
2	WATER WELL OWNER: RR#, St. Address, Box #: Keith Joy 14986 SW 30TH ST. City, State, ZIP Code: BENTON KS 67144-9164			Board of Agriculture, Division of Water Resources Application Number:	
3	LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	4	DEPTH OF COMPLETED WELL 80 ft. ELEVATION: Depth(s) Groundwater Encountered 1 65 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 15 ft. below land surface measured on mo/day/yr. Pump test data: Well water was ft. after hours pumping gpm Est. Yield 20 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial D Domestic (lawn & garden) 10 Monitoring well		
5	TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) Q PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued ✓ Clamped Welded Threaded	
	Blank casing diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.				
	Casing height above land surface 12 in., weight 160 lbs./ft. Wall thickness or guage No.				
	TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR) 9 ABS	10 Asbestos-Cement 11 Other (Specify) 12 None used (open hole)	
	SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched	5 Guazed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)	
	SCREEN-PERFORATED INTERVALS: From 60 ft. to 80 ft., From ft. to ft.				
	From ft. to ft., From ft. to ft.				
	GRAVEL PACK INTERVALS: From 20 ft. to 80 ft., From ft. to ft.				
	From ft. to ft., From ft. to ft.				
6	GROUT MATERIAL: 1 Neat cement Grout Intervals: From 3 ft. to 20 ft., From ft. to ft., From ft. to ft.	2 Cement grout	3 Bentonite	4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)
	What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit	7 Pit privy 8 Sewage lagoon 9 Feedyard			
	Direction from well?	How many feet? 50 ft			
	FROM 0 TO 6 LITHOLOGIC LOG earth	FROM 6 TO 15 PLUGGING INTERVALS	FROM 15 TO 25	FROM 25 TO 55	FROM 55 TO 80
	6 15 25 55 80 shaly lime				
	15 25 55 80 shaly lime				
	25 55 80 shaly lime				
	55 80 shaly lime				
7	CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 493 This Water Well Record was completed on (mo/day/yr) under the business name of Russell Well Drilling	by (signature)			
	INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.				