


1 LOCATION OF WATER WELL:		Fraction County: <i>Butcher</i>	1/4 SW 1/4 NE 1/4	Section Number Distance and direction from nearest town or city street address of well if located within city? <i>3-W - 4.5 OF Towanda</i>	Township Number T 36 S	Range Number R 3 EW
2 WATER WELL OWNER:		<i>Jerry Staples Towanda Kan</i>		Board of Agriculture, Division of Water Resources Application Number:		
RR#, St. Address, Box #:		<i>RR 1 Box 52 67144</i>				
City, State, ZIP Code:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					4 DEPTH OF COMPLETED WELL <i>132</i> ft. ELEVATION:	
					Depth(s) Groundwater Encountered <i>100</i> ft. 2. ft. 3. ft.	
		WELL'S STATIC WATER LEVEL <i>60</i> ft. below land surface measured on mo/day/yr				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield <i>4.5</i> gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter <i>7.2</i> in. to ft., and in. to ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		<input checked="" type="radio"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted				
					Water Well Disinfected? Yes <input checked="" type="checkbox"/> No	
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped				
1 Steel 3 RMP (SR) <input checked="" type="radio"/> PVC 4 ABS		6 Asbestos-Cement 9 Other (specify below)			Welded	
Blank casing diameter <i>5</i> in. to <i>60</i> ft., Dia in. to ft.		7 Fiberglass			Threaded	
Casing height above land surface <i>18</i> in., weight <i>160</i> lbs./ft. Wall thickness or gauge No. <i>2.14</i>						
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS			<input checked="" type="radio"/> PVC 10 Asbestos-cement 11 Other (specify)	
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut			<input checked="" type="radio"/> Saw cut 11 None (open hole) 9 Drilled holes 10 Other (specify)	
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched						
SCREEN-PERFORATED INTERVALS: From <i>60</i> ft. to <i>132</i> ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From <i>3</i> ft. to <i>23</i> ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:		7 Pit privy 10 Livestock pens <input checked="" type="radio"/> 8 Sewage lagoon 11 Fuel storage 9 Feedyard 12 Fertilizer storage 13 Insecticide storage			14 Abandoned water well 15 Oil well/Gas well 16 Other (specify)	
Direction from well? <i>NE</i>					How many feet? <i>150</i>	
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS
<i>0</i>	<i>3</i>	<i>SOIL</i>				
<i>3</i>	<i>10</i>	<i>ROCK</i>				
<i>10</i>	<i>18</i>	<i>Clay</i>				
<i>18</i>	<i>132</i>	<i>Shale & Lime</i>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <i>7/16/98</i> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <i>231</i> This Water Well Record was completed on (mo/day/yr) <i>3/19/98</i> by (signature) <i>Charles Winter</i> under the business name of <i>Winter Well Drill</i>						