

NW-11

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Butler</u>		<u>NW 1/4 NE 1/4 SE 1/4</u>	<u>2</u>	T <u>26</u> S	R <u>3</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city?					
2 WATER WELL OWNER: <u>Rice Blake Bldg</u> <u>401 Orchard</u> <u>Eldorado, KS 67042</u>					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>23.5</u> ft. ELEVATION: <u>—</u>			
		Depth(s) Groundwater Encountered <u>10.88</u> ft. 2. <u>—</u> ft. 3. <u>—</u> ft.			
		WELL'S STATIC WATER LEVEL <u>10.88</u> ft. below land surface measured on mo/day/yr <u>9/9/98</u>			
		Pump test data: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Est. Yield <u>—</u> gpm: Well water was <u>—</u> ft. after <u>—</u> hours pumping <u>—</u> gpm			
		Bore Hole Diameter <u>8.625</u> in. to <u>23.5</u> ft. and <u>—</u> in. to <u>—</u> ft.			
WELL WATER TO BE USED AS:					
1 Domestic      3 Feedlot      6 Oil field water supply      9 Dewatering      12 Other (Specify below) 2 Irrigation      4 Industrial      7 Lawn and garden only      10 Monitoring well <u>NW-11</u>					
Was a chemical/bacteriological sample submitted to Department? Yes <u>—</u> No <u>X</u> If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>—</u> No <u>X</u>					
5 TYPE OF BLANK CASING USED:					
1 Steel      3 RMP (SR)      5 Wrought iron      8 Concrete tile      CASING JOINTS: Glued <u>—</u> Clamped <u>—</u> 2 PVC      4 ABS      6 Asbestos-Cement      9 Other (specify below)      Welded <u>—</u> 7 Fiberglass      Threaded <u>X</u>					
Blank casing diameter <u>2</u> in. to <u>13.5</u> ft. Dia <u>—</u> in. to <u>—</u> ft. Dia <u>—</u> in. to <u>—</u> ft.					
Casing height above land surface <u>Flush</u> in. weight <u>SCH 40</u> lbs./ft. Wall thickness or gauge No. <u>—</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel      3 Stainless steel      5 Fiberglass      8 RMP (SR)      10 Asbestos-cement 2 Brass      4 Galvanized steel      6 Concrete tile      9 ABS      11 Other (specify) <u>—</u> 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot      3 Mill slot      5 Gauzed wrapped      8 Saw cut      11 None (open hole) 2 Louvered shutter      4 Key punched      6 Wire wrapped      9 Drilled holes 7 Torch cut      10 Other (specify) <u>—</u>					
SCREEN-PERFORATED INTERVALS:					
From <u>23.5</u> ft. to <u>13.5</u> ft. From <u>—</u> ft. to <u>—</u> ft.					
GRAVEL PACK INTERVALS:					
From <u>23.5</u> ft. to <u>12.5</u> ft. From <u>—</u> ft. to <u>—</u> ft.					
6 GROUT MATERIAL:					
1 Neat cement      2 Cement grout      3 Bentonite      4 Other <u>—</u> Grout Interval: <u>3</u> From <u>12.5</u> ft. to <u>10.5</u> ft. <u>2</u> From <u>10.5</u> ft. to <u>0</u> ft. From <u>—</u> ft. to <u>—</u> ft.					
What is the nearest source of possible contamination:					
1 Septic tank      4 Lateral lines      7 Pit privy      10 Livestock pens      14 Abandoned water well 2 Sewer lines      5 Cess pool      8 Sewage lagoon      11 Fuel storage      15 Oil well/Gas well 3 Watertight sewer lines      6 Seepage pit      9 Feedyard      12 Fertilizer storage      16 Other (specify below) <u>contaminated site</u> 13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	6"	<u>concrete</u> <u>clay w/ some silt</u> <u>end of borehole</u>			
6"	23.5				
23.5	TD				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9/8/98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>585</u> This Water Well Record was completed on (mo/day/yr) <u>9/11/98</u> under the business name of <u>AEI</u> by (signature) <u>Adunua En DDon</u>					