

1 LOCATION OF WATER WELL: County: <i>Butler</i>	Fraction <i>SE</i> $\frac{1}{4}$ <i>NW</i> $\frac{1}{4}$ <i>SW</i> $\frac{1}{4}$	Section Number <i>5</i>	Township Number T <i>26</i> S	Range Number R <i>3</i> E/W
--	---	----------------------------	----------------------------------	--------------------------------

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: BILL Wompler Wichita KS 67228
 RR#, St. Address, Box # :
 City, State, ZIP Code : 3350 Grant Rd
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL. 12.5 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 30.75 ft. 2. _____ ft. 3. _____ ft.
WELL'S STATIC WATER LEVEL 30.75 ft. below land surface measured on mo/day/yr _____

1 Mile

W

E

NW	NE
SW	SE

S

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 20 gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 8 1/2 in. to ft., and in. to ft.

WELL WATER TO BE USED AS:

1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation	4 Industrial	7 <input checked="" type="checkbox"/> Lawn and garden only	10 Monitoring well	

Was a chemical/bacteriological sample submitted to Department? Yes No ☒; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes ☒ No

5	TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded <input type="checkbox"/>
	1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	
	2 PVC	4 ABS	7 Fiberglass		

Blank casing diameter 5 in. to 30 ft. Dia. in. to ft. Dia. in. to ft.
Casing height above land surface 18 in. weight 160 lbs./ft. Wall thickness or gauge No. 12/4

TYPE OF SCREEN OR PERFORATION MATERIAL:			10 Asbestos-cement
1 Steel	3 Stainless steel	5 Fiberglass	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	12 None used (open hole)
		7 PVC	
		8 RMP (SR)	
		9 ABS	

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
		7 Torch cut	10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From 380 ft. to 1255 ft., From ft. to ft.
From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
Grout intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
③ Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)

Direction from well? *W*

How many feet? *300*

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/30/92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 257 This Water Well Record was completed on (mo/day/y) 6/30/92 under the business name of Winter Well Drilling by (signature) [Signature]