

USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well:	County	Fraction	Section number	Township number	Range number
	Butler	NE 1/4 NE 1/4 NW 1/4	25	T 26	S R 3 (EW)
2. Distance and direction from nearest town or city:	1 1/2 SE 3 E of BENTON		3. Owner of well:	Herb Bruce	
Street address of well location if in city:	16411 E 45 N Wichita KS		R.R. or street:	7701 E Kellogg	
4. Locate with "X" in section below:	Sketch map:		6. Bore hole dia.	8.5 in. Completion date 9-2-78	
				Well depth	90 ft.
5. Type and color of material	From	To	7. <input checked="" type="checkbox"/> Cable tool	Rotary	Driven Dug
Fill dirt	0	1	<input type="checkbox"/> Hollow rod	Jetted	Bored Reverse rotary
Top soil	1	2	8. Use:	<input checked="" type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Clay Brown	2	7	9. Casing: Material	<input checked="" type="checkbox"/> PITS <input type="checkbox"/> Threaded <input type="checkbox"/> Welded	
Limestone with clay yellow	7	12	Height: Above or below	Surface 24 in.	
Limestone yellow	12	32	RMP	<input checked="" type="checkbox"/> PVC <input type="checkbox"/> Weight lbs./ft.	
Shale Blue gray	32	36	Dia. 5 in. to 80 ft. depth	Wall thickness: inches or	
clay yellow green	36	52	Dia. in. to ft. depth	Gage No. 200	
clay Light gray	52	57	10. Screen: Manufacturer's name	SUNFLOWER	
clay lavender	57	59	Type	<input checked="" type="checkbox"/> PITS <input type="checkbox"/> Pipe Inc.	
clay Light gray	59	66	Slot/gauge	5" dia.	
Shale Blue gray	66	74	Set between	116 ft. and 100 ft.	
Shale gray	74	78	ft. and	80 ft. and 90 ft.	
Limestone yellow	78	90	Gravel pack?	yes Size range of material 14-34	
(Use a second sheet if needed)			11. Static water level:	mo./day/yr.	
			60 ft. below land surface	Date 9-2-78	
			12. Pumping level below land surfaces:	mo./day/yr.	
			ft. after hrs. pumping	g.p.m.	
			ft. after hrs. pumping	g.p.m.	
			Estimated maximum yield	g.p.m.	
			13. Water sample submitted:	mo./day/yr.	
			Yes <input checked="" type="checkbox"/> No	Date	
			14. Well head completion:		
			<input checked="" type="checkbox"/> Pitless adapter	24 inches above grade	
			15. Well grouted?	Yes	
			With:	<input type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input checked="" type="checkbox"/> Concrete	
			Depth: From	13 ft. to 3 ft.	
			16. Nearest source of possible contamination:	No	
			ft. direction type		
			Well disinfected upon completion?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
			17. Pump:	<input checked="" type="checkbox"/> Not installed	
			Manufacturer's name		
			Model number	HP Volts	
			Length of drop pipe	ft. capacity g.p.m.	
			Type:		
			<input type="checkbox"/> Submersible	<input type="checkbox"/> Turbine	
			<input type="checkbox"/> Jet	<input type="checkbox"/> Reciprocating	
			<input type="checkbox"/> Centrifugal	<input type="checkbox"/> Other	
			20. Water well contractor's certification:		
			This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
			<input checked="" type="checkbox"/> Brackley Water Wells 363		
			Business name	License No.	
			Address	Box 212A Douglass KS	
			Signed	Richard Brackley Date 9-6-78	
			Authorized representative		
18. Elevation:	19. Remarks:				
Topography:					
Hill					
<input checked="" type="checkbox"/> Slope					
Upland					
Valley					