


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction <i>NE 1/4</i>	NE $\frac{1}{4}$	NE $\frac{1}{4}$	Section Number <i>29</i>	T 26S	S	Range Number R 3E E/W
Distance and direction from nearest town or city street address of well if located within city? <i>From 21st & Andover Rd. 3N, 1E, 1/4S, West into</i>								
2 WATER WELL OWNER:		Kirk Stumpfhauser				SEP 06 '94		
RR#, St. Address, Box #:		Rt. #1				Board of Agriculture, Division of Water Resources		
City, State, ZIP Code:		Benton, Kansas 67017				Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		<input checked="" type="checkbox"/> N  W E S				4 DEPTH OF COMPLETED WELL . . . 73 ft. ELEVATION . . .		
Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 21 ft. below land surface measured on mo/day/yr 8-8-94 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 9" in. to 73 ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 6 Oil field water supply 9 Dewatering 12 Other (Specify below) ① Domestic 3 Feedlot 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>								
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input type="checkbox"/> ② PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded <input type="checkbox"/> Blank casing diameter 5 in. to 15 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface 24" in., weight lbs./ft. Wall thickness or gauge No. SDR 26								
6 TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped ⑧ Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From . . . 15 ft. to . . . 73 ft., From . . . ft. to . . . ft. From . . . ft. to . . . ft., From . . . ft. to . . . ft. GRAVEL PACK INTERVALS: From . . . 15 ft. to . . . 73 ft., From . . . ft. to . . . ft. From . . . ft. to . . . ft., From . . . ft. to . . . ft.								
7 GROUT MATERIAL: 1 Neat cement 2 Cement grout ③ Bentonite 4 Other Grout Intervals: From . . . 4 ft. to . . . 15 ft., From . . . ft. to . . . ft., From . . . ft. to . . . ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool ⑧ Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) Direction from well? N NW How many feet? 300+								
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS		
0	30	Brown Clay						
30	38	Clay w/ lime stks.						
38	53	Gray Shale						
53	73	Gray Shale w/ lime stks						

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-8-94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 171 This Water Well Record was completed on (mo/day/year) 8-9-94 under the business name of G & S Drilling by (signature) *[Signature]*