


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction County: <i>Botkin</i>	NE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec $\frac{1}{4}$	Section Number 32	Township Number T 26 S	Range Number R 4 E
Distance and direction from nearest town or city street address of well if located within city? <i>1/2 N 1/2 W Augusta</i>					
2 WATER WELL OWNER:	Jeff S Fibre 2009 E Lockwood Wichita, KS 67216		Board of Agriculture, Division of Water Resources Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:					
4 DEPTH OF COMPLETED WELL <u>82</u> ft. ELEVATION: <u>70</u>					
Depth(s) Groundwater Encountered <u>1</u> ft. 2. <u>70</u> ft.					
WELL'S STATIC WATER LEVEL <u>65</u> ft. below land surface measured on mo/day/yr <u>4/25/95</u>					
Pump test data: Well water was ft. after hours pumping gpm Est. Yield <u>20</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <u>10</u> in. to <u>82</u> ft., and in. to ft.					
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
5 TYPE OF BLANK CASING USED:	1 Steel	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped Welded Threaded
	2 PVC	4 ABS	6 Asbestos-Cement	9 Other (specify below)	
			7 Fiberglass		
Blank casing diameter	<u>5</u>	in. to <u>62</u>	ft., Dia	in. to ft., Dia	in. to ft.
Casing height above land surface	<u>12</u>	in., weight		lbs./ft. Wall thickness or gauge No.	<u>540</u>
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
	2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
	2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS:	From <u>62</u>	ft. to <u>82</u>	ft., From ft. to ft.	ft., From ft. to ft.	ft. to ft.
GRAVEL PACK INTERVALS:	From <u>20</u>	ft. to <u>82</u>	ft., From ft. to ft.	ft., From ft. to ft.	ft. to ft.
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	
Grout Intervals:	From <u>3</u>	ft. to <u>20</u>	ft., From ft. to ft., From ft. to ft.		
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?	<i>West</i>				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	<i>dirt</i>			
4	7	<i>brown clay</i>			
7	63	<i>yellow clay</i>			
63	82	<i>Shale</i>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4/25/95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>493</u> This Water Well Record was completed on (mo/day/yr) <u>8/3/95</u> by (signature) <i>DeeDee Krause</i>					

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.