

1 LOCATION OF WATER WELL:

Fraction

Section Number

Township Number

Range Number

County: *Butler*SE $\frac{1}{4}$ SW $\frac{1}{4}$ NE $\frac{1}{4}$

26

T 26

S

R

40

Distance and direction from nearest town or city street address of well if located within city?

3 miles N of Augusta

2 WATER WELL OWNER:

Jim Corbin Eldorado Kan 67042

RR#, St. Address, Box #

Board of Agriculture, Division of Water Resources

City, State, ZIP Code

Application Number:

3 LOCATE WELL'S LOCATION WITH

4 DEPTH OF COMPLETED WELL

ft. ELEVATION:

Depth(s) Groundwater Encountered 1 70 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 30 ft. below land surface measured on mo/day/yr

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield 5 gpm; Well water was ft. after hours pumping gpm

Bore Hole Diameter 9.5 in. to ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued. X Clamped.

1 Steel 3 RMP (SR)

6 Asbestos-Cement

9 Other (specify below)

Welded.

2 PVC 4 ABS

7 Fiberglass

Threaded.

Blank casing diameter 5 in. to ft. Dia in. to ft. Dia in. to ft.

Casing height above land surface 18 in., weight 160 lbs./ft. Wall thickness or gauge No. 12.14

TYPE OF SCREEN OR PERFORATION MATERIAL:

7 PVC

10 Asbestos-cement

1 Steel 3 Stainless steel

5 Fiberglass

8 RMP (SR)

11 Other (specify)

2 Brass 4 Galvanized steel

6 Concrete tile

9 ABS

12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

5 Gauzed wrapped

11 None (open hole)

1 Continuous slot 3 Mill slot

6 Wire wrapped

8 Saw cut

2 Louvered shutter 4 Key punched

7 Torch cut

9 Drilled holes

SCREEN-PERFORATED INTERVALS: From 60 ft. to 147 ft., From ft. to ft., From ft. to ft.

10 Other (specify) ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From 3 ft. to 23 ft., From ft. to ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

10 Livestock pens

14 Abandoned water well

1 Septic tank 4 Lateral lines

7 Pit privy

11 Fuel storage

15 Oil well/Gas well

2 Sewer lines 5 Cess pool

8 Sewage lagoon

12 Fertilizer storage

16 Other (specify below)

3 Watertight sewer lines 6 Seepage pit

9 Feedyard

13 Insecticide storage

Direction from well?

SW

How many feet?

150

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 4 SOIL

4 18 CLAY

18 147 SHALE / LIME

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, 2 reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 5/20/05 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's Licence No. 251 This Water Well Record was completed on (mo/day/yr) 5/24/05

under the business name of Winter Well Drill by (signature) Charles Winter

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.