


WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No. _____

1 LOCATION OF WATER WELL:		Fraction <i>SE 1/4 NW 1/4 SW 1/4</i>	Section Number <i>31</i>	Township Number <i>T 26 S</i>	Range Number <i>R 4 E/W</i>	
Distance and direction from nearest town or city street address of well if located within city? (Well is at owner's address <i>DR. per driller</i>)		Global Positioning Systems (decimal degrees, min. of 4 digits)				
2 WATER WELL OWNER:		Ryan Metke RR# 10512 SW 60th St. Augusta, KS 67010				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 99 ft. Depth(s) Groundwater Encountered (1) 85 ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 20 ft. below land surface measured on mo/day/yr. Pump test data: Well water was ft. after hours pumping gpm Est. Yield 30 gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well				
N  W E S		 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr Sample was submitted Water well disinfected? Yes No				
5 TYPE OF CASING USED:		5 Wrought Iron 1 Steel 2 PVC	8 Concrete tile 6 Asbestos-Cement 7 Fiberglass	9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded	
Blank casing diameter	 5 in. to 59 ft., Diameter in. to ft., Diameter in. to ft.		
Casing height above land surface	 12 in., Weight 160 lbs./ft.	Wall thickness or guage No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:		1 Steel 2 Brass	3 Stainless Steel 4 Galvanized Steel	5 Fiberglass 6 Concrete tile 7 RM (SR)	8 PVC 9 ABS 10 Asbestos-Cement	11 Other (Specify) 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:		1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped	7 Torch cut 8 Saw Cut	9 Drilled holes 10 Other (specify) 11 None (open hole)
SCREEN-PERFORATED INTERVALS: From	 59 ft. to 99 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From	 20 ft. to 99 ft., From ft. to ft.			
Direction from well?	 South west	How many feet? 100+		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
0	2	<i>earth</i>				
2	4	<i>clay brown</i>				
4	7	<i>broken rock</i>				
7	43	<i>yellow clay</i>				
43	47	<i>green clay</i>				
47	50	<i>red clay</i>				
50	70	<i>grey shale light</i>				
70	75	<i>grey shale dark</i>				
75	85	<i>grey lime</i>				
85	99	<i>sandy lime</i>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/10/08 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 4943 This Water Well Record was completed on (mo/day/year) 3/10/08 under the business name of <i>Reiserer Well Drilling</i> by (signature) <i>Jeeny Reiserer</i>						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .						