

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction SW 1/4 SW 1/4 SW 1/4	Section Number 32	Township Number T 26 S	Range Number R4 E E/W		
County: BUTLER Distance and direction from nearest town or city street address of well if located within city?							
1/8 North of 29th No, 1 East of Santa Fe Lake Rd. Augusta, Ks.							
2 WATER WELL OWNER:		Dan Retz 7130 So. Ida		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box # :		City, State, ZIP Code : Wichita, Ks. 67233		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 82 ft. ELEVATION: Depth(s) Groundwater Encountered 1. 15 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL .15 ft. below land surface measured on mo/day/yr 9-10-84 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 11 in. to ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No XX; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes XX No					
5 TYPE OF BLANK CASING USED:		1 Steel 3 RMP (SR) 2 PVC 4 ABS	5 Wrought iron 6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below) 10 Cer-Mac styrene SDR-26	CASING JOINTS: Glued Clamped Welded Threaded		
Blank casing diameter 5 in. to 22 ft., Dia in. to ft., Dia in. to ft.					
Casing height above land surface 12 in., weight		1.59 lbs./ft. Wall thickness or gauge No. 203					
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel		5 Fiberglass 6 Concrete tile 7 PVC 9 ABS	8 RMP (SR) 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)	5 Gauzed wrapped 6 Wire wrapped 7 PVC 8 Saw cut 22 7 Torch cut 9 Drilled holes 10 Other (specify)			
SCREEN OR PERFORATION OPENINGS ARE:		11 None (open hole)					
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched		12 None (open hole)					
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.		From ft. to ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From 14 ft. to 82 ft., From ft. to ft., From ft. to ft.		From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout		3 Bentonite	4 Other				
Grout Intervals: From 4 ft. to 14 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 2 Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit		7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) None Apparent	How many feet?			
Direction from well?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
0	3	Topsoil					
3	9	Clay					
9	82	Gray Shale					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-10-84 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 2-20-85							
under the business name of Harp Well & Pump Service, Inc. by (signature) <i>Mary Arnold</i>							
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							