

1 LOCATION OF WATER WELL:		Fraction County: BUTLER	NE $\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$	Section Number 28	Township Number T 26 S	Range Number R 5 E	
Distance and direction from nearest town or city street address of well if located within city? BUTLER CO LF; ABOUT 3 MI S OF EL DORADO, KS (MW-16)							
2 WATER WELL OWNER:		Butler County Landfill 90 Burns & McDonnell (Y. Huff)					
RR#, St. Address, Box #:		9400 Ward Parkway					Board of Agriculture, Division of Water Resources
City, State, ZIP Code:		Kansas City MO 64114					Application Number:
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 16 ft. ELEVATION: 10 ±					
		Depth(s) Groundwater Encountered 1. 10 ± ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr					
		Pump test data: Well water was ft. after hours pumping gpm					
		Est. Yield gpm: Well water was ft. after hours pumping gpm					
		Bore Hole Diameter 8 in. to 16 ft., and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well					
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes No ; If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes No					
5 TYPE OF BLANK CASING USED:		5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped			
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Welded			
2 PVC 4 ABS		7 Fiberglass		Threaded. X			
Blank casing diameter 2 in. to 6 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface 30 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement					
1 Steel 3 Stainless steel		5 Fiberglass	8 RMP (SR)	11 Other (specify)			
2 Brass 4 Galvanized steel		6 Concrete tile	9 ABS	12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)			
1 Continuous slot 3 Mill slot		6 Wire wrapped	9 Drilled holes				
2 Louvered shutter 4 Key punched		7 Torch cut	10 Other (specify)				
SCREEN-PERFORATED INTERVALS: From 6 ft. to 16 ft., From ft. to ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 4.5 ft. to 16 ft., From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement		2 Cement grout	3 Bentonite	4 Other			
Grout Intervals: From 2.5 ft. to 4 ft., From ft. to ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		7 Pit privy	10 Livestock pens	14 Abandoned water well			
2 Sewer lines		8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well			
3 Watertight sewer lines		9 Feedyard	12 Fertilizer storage	16 Other (specify below) Landfill			
Direction from well?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	8	Clay					
8	15	Clay and gravel					
15	16	Limestone					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed 2 reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 9/23/96 and this record is true to the best of my knowledge and belief. Kansas							
Water Well Contractor's License No. 510 This Water Well Record was completed on (mo/day/yr) 10/15/96 by (signature) Mark Classroom							