


WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction County: BUTLER	NW 1/4 SW 1/4 NW 1/4	Section Number 28	Township Number T 26 S	Range Number R 5 E X		
Distance and direction from nearest town or city street address of well if located within city? Butler Co. Landfill; About 3 mi SW of El Dorado KS (Gas well GM-1)							
2 WATER WELL OWNER:	Butler Co. Landfill % Burns & McDonnell (Y. Huff)		Board of Agriculture, Division of Water Resources Application Number:				
RR#, St. Address, Box #	9400 Ward Parkway						
City, State, ZIP Code	Kansas City MO 64114						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL..... 15 ft. ELEVATION:				
Depth(s) Groundwater Encountered 1..... ft. 2..... ft. 3..... ft.							
WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr							
Pump test data: Well water was ft. after hours pumping gpm							
Est. Yield gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter 8 in. to 15 ft., and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering (12) Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well GAS monit. well							
Was a chemical/bacteriological sample submitted to Department? Yes.....No. X If yes, mo/day/yr sample was submitted							
Water Well Disinfected? Yes No X							
5 TYPE OF BLANK CASING USED:	1 Steel ② PVC	3 RMP (SR) 4 ABS	5 Wrought iron 6 Asbestos-Cement	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded		
Blank casing diameter	3/4	in. to	15	ft., Dia	in. to ft., Dia in. to ft.		
Casing height above land surface	30	in., weight			lbs./ft. Wall thickness or gauge No. Sch 80		
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel 2 Brass	3 Stainless steel 4 Galvanized steel	5 Fiberglass 6 Concrete tile	7 PVC 8 RMP (SR)	10 Asbestos-cement 11 Other (specify) 12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot 2 Louvered shutter	3 Mill slot 4 Key punched	5 Gauzed wrapped 6 Wire wrapped	7 Torch cut 8 Saw cut	11 None (open hole)		
SCREEN-PERFORATED INTERVALS:	From..... 5 ft.	to 15 ft.	From..... ft.	to ft.	From..... ft.		
GRAVEL PACK INTERVALS:	From..... 4 ft.	to 15 ft.	From..... ft.	to ft.	From..... ft.		
6 GROUT MATERIAL:	1 Neat cement 2 Cement grout	3 Bentonite	4 Other				
Grout Intervals:	From..... 2.5 ft.	to 4 ft.	From..... ft.	to ft.	From..... ft.		
What is the nearest source of possible contamination:	1 Septic tank 2 Sewer lines	4 Lateral lines 5 Cess pool	7 Pit privy 8 Sewage lagoon	10 Livestock pens 11 Fuel storage	14 Abandoned water well 15 Oil well/Gas well		
3 Watertight sewer lines 6 Seepage pit	9 Feedyard	12 Fertilizer storage 13 Insecticide storage	16 Other (specify below) Landfill				
How many feet?							
Direction from well?							
FROM	TO	LITHOLOGIC LOG		FROM	TO	PLUGGING INTERVALS	
0	2	Clay some silt					
2	6	Clay trace silt					
6	15	Weathered limestone					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/23/96					and this record is true to the best of my knowledge and belief. Kansas	
Water Well Contractor's License No.	570					This Water Well Record was completed on (mo/day/yr) 10/15/96	
under the business name of	AQUADRILL, INC.					by (signature) Mark Leeser	

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.