WATER WELL RE	CORD	MW- 4	Form WWC-	5	Division	of Water	r Resources; App. No.		
1 LOCATION OF WA	TER WEL	L:	Fraction SE 1/4 SE 1/4 SE	= 1/4	Section Nu 17	ımber	Township Number T U6 S	Range Number R ENW	
Distance and direction from nearest town or city street address of well if						Global Positioning Systems (decimal degrees, min. of 4 digits)			
located within city?						Latitude:			
2395 SW Boyer Rd. El Dorado, KS					Longitude:				
2 WATER WELL OWNER: Shell Oil Products					Elevation:				
RR#, St. Address, Bo	x#: β ,	0. 130x 1	1001		Datum:				
City, State, ZIP Code	: Hu	, ltnan, TX	77336		Data Coll	ection I	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL									
LOCATION									
WITH AN "X" IN	Depth(s) Groundwater Encountered (1)								
SECTION BOX:	WELL'S STATIC WATER LEVEL. 2-95 ft. below land surface measured on mo/day/yr. 2-1-00								
(1)	Pump test data: Well water was								
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
W NW NE E	1 D 1 2 F 11 (0.16.11) 1 0 D 1 1 12.01 (0.16.1.1.)								
W	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
1 3E 3	Was a chemical/bacteriological sample submitted to Department? Yes No								
	Sample was submitted								
S									
5 TYPE OF CASING U				rete tile	-	CASINO	G JOINTS: Glued	Clamped	
		6 Asbestos-C		(specify b					
Blank casing diameter	S	7 Fiberglass		··········			Threaded		
Blank casing diameter	in	to	ft., Diameter	in	. to	ft.,	Diameter	in. to	
Casing height above land surface. Fluid in., Weight									
1 Steel 3 Stainless Steel 5 Fiberglass OPVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORA				, 1011	.5005105	CITICITY	12 Mone about (open		
1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From									
SCREEN-PERFORATED INTERVALS: From									
From									
GRAVEL PACK INTERVALS: From S									
6 GROUT MATERIAL: 1 Neat cemently 2 Cement grout 3 Bentonite 4 Other Concrete Grout Intervals: From 3.12 ft to 1.2 ft From 15 ft to 2 ft From 15 ft to 15 ft ft to 15 ft									
Grout Intervals: From 3.0. ft. to 1.0 ft., From ft. to 0 ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sewer lines				Fuel sto			pandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Direction from well? How many feet?									
FROM TO		THOLOGIC		FROM	TO		PLUGGING INTI	CDVAIC	
	ty Clay	THOLOGIC	LOG	FROM	10		reudding in i	EKVALS	
// -	Limestone	•	WHEN KINK A						
8.7	217(t) Jone							Market State (Market State Control	

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
under my jurisdiction and	1 was compl	eted on (mo/d	lay/year)	and	this record	l is true	to the best of my know	vledge and belief.	
Kansas Water Well Cont	ractor's Lice	ense No. !!!!	This Water	Well Reco	ord was co	mpleted	on (mo/day/year)	-1-00	
under the business name INSTRUCTIONS: Use types	vriter or hall a	pint nen DIEAC	F PRESS FIRMI V and D		(signatur			preset answers. Cand ton	
three copies to Kansas Departr	ment of Health	and Environment	, Bureau of Water, Geolo	gy Section,	1000 SW Jac	ckson St.,	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									