

Well #1W-6

WATER WELL RECORD

Form WWC-5

KSA 82a-1212

1 LOCATION OF WATER WELL:

County: **Butler**

Fraction

SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$

Section Number

1

Township Number

T **26** S

Range Number

R **5** **EW**

Distance and direction from nearest town or city street address of well if located within city?

SE of El Dorado, KS

2 WATER WELL OWNER:

City of El Dorado, KSRR#, St. Address, Box # : **220 East First Street**

Board of Agriculture, Division of Water Resources

City, State, ZIP Code : **El Dorado, KS 67042**

Application Number:


3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N

W

E

S



4 DEPTH OF COMPLETED WELL

9

ft. ELEVATION:

Surface 1260.5Depth(s) Groundwater Encountered **1.7.5** ft. 2. ft. 3. ft.WELL'S STATIC WATER LEVEL **3.8** ft. below land surface measured on mo/day/yr **8-14-85**Pump test data: Well water was **N/A** ft. after hours pumping gpmEst. Yield **N/A** gpm: Well water was ft. after hours pumping gpmBore Hole Diameter **10** in. to **9** ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only **10** Observation wellWas a chemical/bacteriological sample submitted to Department? Yes No **X**; If yes, mo/day/yr sample was submittedWater Well Disinfected? Yes No **X**

5 TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR)

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued Clamped

2 PVC 4 ABS

6 Asbestos-Cement

9 Other (specify below)

Welded

Blank casing diameter **4** in. to **3.5** ft., Dia in. to ft.

7 Fiberglass

Threaded **X**Casing height above land surface **36** in., weight lbs./ft. Wall thickness or gauge No. **40**

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel

5 Fiberglass

7 PVC

10 Asbestos-cement

2 Brass 4 Galvanized steel

6 Concrete tile

8 RMP (SR)

11 Other (specify)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot **3** Mill slot

2 Louvered shutter 4 Key punched

SCREEN-PERFORATED INTERVALS:

From **3.5** ft. to **9** ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From **3.5** ft. to **9** ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:

1 Neat cement

2 Cement grout

3 Bentonite

4 Other

Grout Intervals: From **0** ft. to **1.5** ft., From **1.5** ft. to **3.5** ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines

7 Pit privy

10 Livestock pens

14 Abandoned water well

2 Sewer lines

5 Cess pool

8 Sewage lagoon

11 Fuel storage

15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit

9 Feedyard

12 Fertilizer storage

6 Other (specify below)

13 Insecticide storage

LandfillDirection from well? **NW**How many feet? **10**

FROM TO LITHOLOGIC LOG

0 **7** Silty Clay with Gravel**7** **9** Silty Clay**9** **-** Apparent Limestone

FROM TO LITHOLOGIC LOG

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) **8-1-85** and this record is true to the best of my knowledge and belief. KansasWater Well Contractor's License No. **416** This Water Well Record was completed on (mo/day/yr) **10-23-85**under the business name of **TERRACON CONSULTANTS INC** by (signature) **[Signature]**

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.