

1 LOCATION OF WATER WELL:		Fraction County: BUTLER	SE $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$	Section Number 2	Township Number T 26 S	Range Number R 5 E
Distance and direction from nearest town or city street address of well if located within city? 210' S + 45' W of Center of OLIVE + ALLEY (1/2 block w. of MAIN						
2 WATER WELL OWNER:		LEWIS AND WEST		MW8 Board of Agriculture, Division of Water Resource:		
RR#, St. Address, Box #:		400 S. MAIN		Application Number:		
City, State, ZIP Code:		EL DORADO				
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 23 ft. ELEVATION: Depth(s) Groundwater Encountered 1 15 ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL 12.17 ft. below land surface measured on mo/day/yr 12/10/92 Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft. and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No CASING JOINTS: Glued Clamped Welded Threaded Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft. Casing height above land surface Flush in., weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) 5 Wrought iron 8 Concrete tile 6 Asbestos-Cement 9 Other (specify below) 7 Fiberglass 1 Steel 3 RMP (SR) 2 PVC 4 ABS 5 Fiberglass 8 RMP (SR) 6 Concrete tile 9 ABS 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched SCREEN-PERFORATED INTERVALS: From 13 ft. to 22 ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 11 ft. to 23 ft. From ft. to ft. From ft. to ft. From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 0 ft. to 9 ft. From 9 ft. to 11 ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 13 Insecticide storage 16 Other (specify below) USTs How many feet? Direction from well? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 0 1 Topsoil 1 5 CLAY, DARK BROWN 5 23 CLAY, Brown w/ SILT 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/10/92 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 483 This Water Well Record was completed on (mo/day/yr) by (signature) Charles Hansen under the business name of INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.				