

1 LOCATION OF WATER WELL 34	Fraction NW <u>NE</u> $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$	Section Number 10	Township Number T 26 S	Range Number R 5 E
County: BUTLER	Distance and direction from nearest town or city? SW Corner of Town		Street address of well if located within city? 1401 S. Douglas Rd. El Dorado, Kansas	

2 WATER WELL OWNER: Getty Refining & Marketing Co.	RR#, St. Address, Box #: P. O. Box 1121 City, State, ZIP Code: El Dorado, Kansas 67042			Board of Agriculture, Division of Water Resource Application Number:
3 DEPTH OF COMPLETED WELL: 40.2 ft. Bore Hole Diameter: 6 in. to 10.9 ft., and 4 in. to 40.2 ft.				
Well Water to be used as:	5 Public water supply	8 Air conditioning	11 Injection well	
1 Domestic 3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)	
2 Irrigation 4 Industrial	7 Lawn and garden only	10 Observation well		
Well's static water level: 5.3 ft. below land surface measured on: 7 month: 27 day: 79 year: 1979				
Pump Test Data: None gpm: Well water was: ft. after: hours pumping: hours pumping: gpm				

4 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	Casing Joints: Glued	Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC	4 ABS	7 Fiberglass		Threaded
Blank casing dia: 4 in. to: 4.9 ft. Dia: in. to: ft. Dia: in. to: ft. Dia: in. to: ft.				

Casing height above land surface: 34.8 in., weight: 25 lbs./ft. Wall thickness or gauge No: 1/4"

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel	3 Stainless steel	5 Fiberglass	7 PVC	10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)	11 Other (specify)
Screen or Perforation Openings Are:	3 Mill slot	5 Gauzed wrapped	9 ABS	12 None used (open hole)
1 Continuous slot	4 Key punched	6 Wire wrapped	11 Saw cut	13 None (open hole)
2 Louvered shutter		7 Torch cut	9 Drilled holes	
Screen-Perforation Dia: 1.6 in. to: 12.9 ft. Dia: in. to: ft. Dia: in. to: ft. Dia: in. to: ft.				10 Other (specify)

Screen-Perforated Intervals: From: 4.9 ft. to: 12.9 ft., From: ft. to: ft., From: ft. to: ft.

Gravel Pack Intervals: From: 2.0 ft. to: 10.0 ft., From: ft. to: ft., From: ft. to: ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grouted Intervals: From: 0.0 ft. to: 2.0 ft., From: ft. to: ft., From: ft. to: ft.

What is the nearest source of possible contamination:

1 Septic tank	4 Cess pool	7 Sewage lagoon	10 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Seepage pit	8 Feed yard	11 Fertilizer storage	15 Oil well/Gas well
3 Lateral lines	6 Pit privy	9 Livestock pens	12 Insecticide storage	16 Other (specify below)

Direction from well: South E.A.S.T. How many feet: 50? Water Well Disinfected? Yes: No: X

Was a chemical/bacteriological sample submitted to Department? Yes: No: X If yes, date sample

was submitted: month: day: year: Pump Installed? Yes: No: X

If Yes: Pump Manufacturer's name: Model No: HP: Volts: gal/min

Depth of Pump Intake: ft. Pumps Capacity rated at: gal/min

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was


completed on: 7 month: 18 day: 78 year: 1991

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No: 149

This Water Well Record was completed on: 2 month: 27 day: 8/21 year: 1991 under the business

name of: LAYNE - WESTERN CO., INC. by (signature): Daniel J. Brey

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



ELEVATION: 1289.1

Depth(s) Groundwater Encountered: 1. ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0.0	6.0	Brown Clay			
6.0	12.9	Yellow Brown LS			
12.9	40.2	Gray LS			