

| | | | | | |
|-----------------------------|--|---|----------------------|---|------------------------|
| 1 LOCATION OF WATER WELL 25 | | Fraction NW 1/4 SE 1/4 NW 1/4 | Section Number 15 | Township Number T 26 S | Range Number R 5 CW |
| County: BUTLER | | Distance and direction from nearest town or city? SW Corner of Town | | Street address of well if located within city? 1401 S. Douglas Rd. El Dorado, Kansas | |

| | | | | |
|---|--|--|--|--|
| 2 WATER WELL OWNER: Getty Refining & Marketing Co. RR#, St. Address, Box #: P. O. Box 1121 City, State, ZIP Code: El Dorado, Kansas 67042 | | Board of Agriculture, Division of Water Resources Application Number: | | |
|---|--|--|--|--|

3 DEPTH OF COMPLETED WELL 72.6 ft. Bore Hole Diameter 72.6 in. to 72.6 ft. and in. to ft.

Well Water to be used as: 5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well

Well's static water level 27.5 ft. below land surface measured on 3 month 7 day 78 year

Pump Test Data NONE: Well water was ft. after hours pumping. gpm
Est. Yield Not pumped gpm: Well water was ft. after hours pumping. gpm

4 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass Threaded

Blank casing dia 4 in. to 14.5 ft. Dia in. to ft. Dia in. to ft.

Casing height above land surface 28.8 in., weight lbs./ft. Wall thickness or gauge No

TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

Screen or Perforation Openings Are: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)

Screen-Perforation Dia in. to ft. Dia in. to in. to ft. Dia in. to ft.

Screen-Perforated Intervals: From ft. to ft. From ft. to ft.

Gravel Pack Intervals: From ft. to ft. From ft. to ft.

From ft. to ft. From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other NONE

Grouted Intervals: From ft. to ft., From ft. to ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: 10 Fuel storage 14 Abandoned water well
1 Septic tank 4 Cess pool 7 Sewage lagoon 11 Fertilizer storage 15 Oil well/Gas well
2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 16 Other (specify below)
3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines COKE PILE

Direction from well ABOVE GND. How many feet 0.0 ? Water Well Disinfected? Yes No X

Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample

was submitted month day year: Pump Installed? Yes No X

If Yes: Pump Manufacturer's name Model No. HP Volts gal/min.

Depth of Pump Intake ft. Pumps Capacity rated at

Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was

completed on 3 month 1 day 78 year

and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 149

This Water Well Record was completed on 2 month 27 day 80 year under the business

name of LAYNE - WESTERN CO., INC. by (signature) Dale B. Shug

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG

0° 14.5' BROWN CLAY

14.5' 31.6' BROWN LS.

31.6' 72.6' GREY LS.

1 Mile

1 Mile