

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Butler</u>		<u>SE 1/4 NW 1/4 SW 1/4</u>	<u>29</u>	<u>T 26 S</u>	<u>R 5 E</u>
Distance and direction from nearest town or city street address of well if located within city? <u>6 N 4 E of Augusta</u>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #:		Application Number:			
City, State, ZIP Code:		<u>Box 114 AA Eldorado Kan 67042</u>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>12.5</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered <u>1.95</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>40.95</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield <u>10</u> gpm Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>8 1/2</u> in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		5 Public water supply    8 Air conditioning    11 Injection well 1 Domestic    3 Feedlot    6 Oil field water supply    9 Dewatering    12 Other (Specify below) 2 Irrigation    4 Industrial    7 Lawn and garden only    10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped			
1 Steel    3 RMP (SR)		5 Wrought iron    8 Concrete tile			
<u>2</u> PVC    4 ABS		6 Asbestos-Cement    9 Other (specify below)    Welded			
Blank casing diameter <u>5</u> in. to <u>60</u> ft., Dia		7 Fiberglass    Threaded			
Casing height above land surface <u>18</u> in., weight <u>160</u> lbs./ft. Wall thickness or gauge No. <u>12 1/4</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:		<u>7</u> PVC    10 Asbestos-cement			
1 Steel    3 Stainless steel    5 Fiberglass    8 RMP (SR)		11 Other (specify)			
2 Brass    4 Galvanized steel    6 Concrete tile    9 ABS		12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped <u>8</u> Saw cut    11 None (open hole)			
1 Continuous slot    3 Mill slot		6 Wire wrapped    9 Drilled holes			
2 Louvered shutter    4 Key punched		7 Torch cut    10 Other (specify)			
SCREEN-PERFORATED INTERVALS:		From <u>60</u> ft. to <u>125</u> ft., From ft. to ft.			
GRAVEL PACK INTERVALS:		From ft. to ft., From ft. to ft.			
6 GROUT MATERIAL:		3 Bentonite    4 Other			
1 Neat cement    2 Cement grout		Grout Intervals: From <u>0</u> ft. to <u>20</u> ft., From ft. to ft.			
What is the nearest source of possible contamination:		10 Livestock pens    14 Abandoned water well			
1 Septic tank    4 Lateral lines    7 Pit privy		11 Fuel storage    15 Oil well/Gas well			
2 Sewer lines    5 Cess pool <u>8</u> Sewage lagoon		12 Fertilizer storage    16 Other (specify below)			
3 Watertight sewer lines    6 Seepage pit    9 Feedyard		13 Insecticide storage			
Direction from well? <u>5</u>		How many feet? <u>250</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>4</u>	<u>SOIL</u>			
<u>4</u>	<u>15</u>	<u>CLAY</u>			
<u>15</u>	<u>125</u>	<u>SHALE + LIME</u>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>5/11/91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>251</u> This Water Well Record was completed on (mo/day/yr) <u>5/31/91</u> under the business name of <u>Winter Well Drill</u> by (signature) <u>Charles Winter</u>					