
KOLAR Document ID: 1547125

	WELL R			WWC-5		vision of Wate						
		Correction		ge in Well Use		ources App. N			Well ID			
1 LOCATION OF WATER WELL: Fraction					1 0				ige Number			
County				1/4 1/4 1/4		1 4 1 1		$\frac{\Gamma}{1}$ S	R			
						Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:						
Business: di Address:						nearest town of	r intersectioi	n): If at owner	r s address,			
Address:												
City:		-	State:	ZIP:		<u> </u>						
3 LOCAT		4 DEPTH	OF COM	IPLETED WELL:	fi	5 Latit	uda [.]			(daaimal daaraas)		
WITH "				Encountered: 1)		ft. 5 Latitude:						
SECTIO	N BOX:			3) ft., or 4) [Datum: WGS 84 NAD 83 NAD 27						
1	·			TER LEVEL:				ide/Longitude		1110 27		
below land surface, measured on (mo-day-yr)						· G)		
NW	NE			, measured on (mo-day-								
		~		vater was f s pumping		□ Land Survey □ Topographic Map						
W	E	anci		vater wast		Online Mapper:						
SW	SE	after		s pumping		m la martine a secondaria de la martine de la mar						
		Estimated Y			01					I Level 🔲 TOC		
	S	Bore Hole I	Diameter:	in. to	ft. and	Source				opographic Map		
1 r				in. to	ft.			r	•••••			
		BE USED A										
1. Domestic: ☐ House				ter Supply: well ID g: how many wells?								
				echarge: well ID								
				g: well ID				w many bores				
2. 🗌 Irrigati				al Remediation: well II				Horizon				
3. 🗌 Feedlo			Air Sparge	e 🗌 Soil Vapor	Extraction							
4. 🗌 Industr	rial		Recovery	Injection		13. 🗌 Ot	ther (specif	fy):				
Was a cher	mical/bacter	iological san	nple subm	nitted to KDHE?	Yes 🗌 No	If yes, date	e sample v	was submitte	:d:			
		Yes				-	-					
				C 🗌 Other								
				Diameter								
		surface			lbs./ft.	Wall thick	kness or ga	uge No	•••••			
		PERFORAT	TON MA				(9.10)					
□ Steel □ Brass		less Steel anized Steel			ised (open hol		ner (Specif	y)	•••••			
		ATION OPE	NINGS A		ised (open nor	6)						
	nuous Slot	☐ Mill Slot			orch Cut 🔲 I	Drilled Holes	□ Other	(Specify)				
	ered Shutter	Key Punch				None (Open H		(-1 ···))				
SCREEN-F	PERFORATE	ED INTERVA	ALS: Fron	n ft. to	ft., From .	ft. to	0	ft., From	ft. to	ft.		
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
				Cement grout 🛛 🛛 Be								
				ft., From	ft. to	ft., From		ft. to	ft.			
		e contaminati		potential source of cor					1.0			
\Box Septic			Lateral Line			Livestock Pe			cide Storage			
	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well											
□ Other (Specify)												
				Distance from w				ft.				
10 FROM	ТО	I	ITHOLO	GIC LOG	FROM	ТО	LITHO. L	LOG (cont.) or	PLUGGIN	G INTERVALS		
	<u>├</u>				Notes:							
					THURES:							
					-							
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	N: This wate	r well was [constru	cted, \Box reco	onstructed.	or plugged		
under my j	urisdiction ar	nd was compl	eted on (n	no-day-year)	and	this record i	is true to t	he best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Red	cord was cor	mpleted of	n (mo-day-y	ear)			
under the b	usiness name	<u>e of</u>		ELL OWNER and retain		anda E CAS				<u></u>		
KS Departr										e 785-296-3565.		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212.											





January 21, 2021

Coranco Great Plains, Inc. Matthew Kralik 141 West 10th / PO Box 23 Wahoo, Nebraska 68066 Email: mkralik@corancogreatplains.com

RE: Project No. 2101-0029

Matt.

The following is the information requested on a Monitoring Well Site, Norge Self Service, El Dorado, Butler County, Kansas.

	North	East	Distance SE Cor.	From S.02	Elev. Top Of Rim or	Elev. Top of PVC	Latitude	Longitude
Point	Coord.	Coord.	North	West	PK Nail	Pipe	North	West
SE Corner S.02-T26S-R05E	40000	40000					0	
NMW-1	43034.32	37637.23	3034.32	2362.77	1284.70	1284.31	37.81848	96.85177
NMW-2	42704.22	38495.97	2704.22	1504.03	1280.36	1279.91	37.81757	96.84880
NMW-3	42346.17	38555.99	2346.17	1444.01	1278.89	1278.51	37.81659	96.84859
NMW-4	42920.43	37843.01	2920.43	2156.99	1280.58	1280.26	37.81817	96.85106
NMW-5	43127.37	37843.50	3127.37	2156.50	1279.24	1278.89	37.81873	96.85106
Site BM	43041.14	37780.97	3041.14	2219.03		SBM Elevat	ion = 1280.91	

BM Description: "

" Square cut on top of curb on south side of drive.

NMW-1 is in the:	NW¼	SW¼	SW¼	NE¼	S.02-T26S-R05E
NMW-2 is in the:	SE¼	SE¼	SW1⁄4	NE¼	S.02-T26S-R05E
NMW-3 is in the:	NE¼	NE¼	NW¼	SE¼	S.02-T26S-R05E
NMW-4 is in the:	SE¼	SW¼	SW¼	NE¼	S.02-T26S-R05E
NMW-5 is in the:	NE¼	SW¼	SW¼	NE¼	S.02-T26S-R05E

If you have any questions, please do not hesitate in giving us a call.



COLORADO SPRINGS 411 South Tejon Street, Suite i Colorado Springs, CO 80903 P: 719-465-2145 DODGE CITY 707 3rd Avenue, Suite A Dodge City, KS 67801 P: 620-255-1952 <u>MANHATTAN - HQ</u> 2017 Vanesta Place, Suite 110 Manhattan, KS 66503 P: 785-776-0541 OVERLAND PARK 8101 College Blvd., Suite 100 Overland Park, KS 66210 P: 913-444-9615