## KOLAR Document ID: 1547218

	WELL R			WWC-5		ivision of Wa						
	l Record			ge in Well Use		sources App.			Well ID			
<b>1 LOCATION OF WATER WELL:</b> Fraction						1 0			ige Number			
County: $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$						1 4 1 1						
						treet or Rural Address where well is located (if unknown, distance and						
Address: di						irection from nearest town or intersection): If at owner's address, check here:						
Address:												
City:			State:	ZIP:								
<b>3 LOCATE WELL</b> WITH WY IN <b>4 DEPTH OF COMPLETED WELL:</b>						ft. <b>5 Latitude</b> :(decimal degrees)						
	WITH "A" IN Donth(s) Groundwater Encountered: 1)											
					) ft., or 4) 🗌 Dry Well			Datum: WGS 84 NAD 83 NAD 27				
		WELL'S ST			Sour		Latitude/Longitude					
				-yr)			unit make/model:					
NW		Pump test d		-yr) ft			WAAS enabled?		io)			
w	X	-	hours				Survey					
			Well v			Online Mapper:						
SW	SE	after	hours	. gpm								
		Estimated Y				6 Elevation:ft. Ground Level TOC Source: Land Survey GPS Topographic Map						
	S mila	Bore Hole Diameter: in. to				Sour	□ Other					
7 WELL WATER TO BE USED AS:         1. Domestic:       5. <ul> <li>Public Water Supply: well ID</li> <li>10.              <li>Oil Field Water Supply: lease</li> </li></ul>												
	□ Household											
Lawn d	& Garden											
			g: well ID		12. Geothermal: how many bores?							
	2. Irrigation 9. Environmental Remediation: well											
3. Effective Source Sou					Extraction							
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots$												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
Louvered Shutter     Key Punched     Wire Wrapped     Saw Cut     None (Open Hole)     ScpEEN PEPEOP ATED INTERVALS: From 6 to 5 for the former of the												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft. to ft. to												
GRAVEL PACK INTERVALS:       From												
Grout Intervals: From												
	rce of possible		on: No	potential source of cor	ntamination v	vithin 200 ft.						
□ Septic			Lateral Line			Livestock P			cide Storage			
Sewer			Cess Pool	Sewage La		Fuel Storag			oned Water			
	ight Sewer Lin			☐ Feedyard		Fertilizer St	torage	e 🗌 Oil We	ll/Gas Well			
Direction from well? ft.												
10 FROM	ТО		ITHOLO		FROM	ТО		THO. LOG (cont.) of		G INTERVALS		
	-			-		-						
Notes:												
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under mv i	urisdiction ar	id was compl	leted on (n	no-day-year)	11115 wa	d this record	is tr	ue to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well R	ecord was co	omple	eted on (mo-day-y	ear)			
under the b	usiness name	<u>e of</u>					-			<u></u>		
KS Departr				ELL OWNER and retain						785-296-3565		
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											