

WATER WELL RECORD Form WWC-5 KSA 82a-1212

LOCATION OF WATER WELL:

Fraction

County: Butler

SW $\frac{1}{4}$ SE $\frac{1}{4}$ NE $\frac{1}{4}$

Section Number

Township Number

Range Number

T 26 S

R 5 E

Distance and direction from nearest town or city street address of well if located within city?

213 E. 1st Street, El Dorado, KS 67042

WATER WELL OWNER: City of El Dorado


KS Site ID# 00062633

Board of Agriculture, Division of Water Resources

RR#, St. Address, Box #:

City, State, ZIP Code: El Dorado, KS 67042

Application Number:

LOCATE WELL'S LOCATION WITH
AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL 10 ft. ELEVATION: 1282.37 T.O.C.

Depth(s) Groundwater Encountered 1 6 ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL 5.10 ft. below land surface measured on mo/day/yr 2.13.95

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter 8 in. to 10 ft., and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR)
2 PVC 4 ABS

5 Wrought iron

8 Concrete tile

CASING JOINTS: Glued Clamped

6 Asbestos-Cement

9 Other (specify below)

Welded

7 Fiberglass

Threaded

Blank casing diameter 2 in. to 10 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 0 in., weight lbs./ft. Wall thickness or gauge No.

6 TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel
2 Brass 4 Galvanized steel
1 Continuous slot 3 Mill slot
2 Louvered shutter 4 Key punched

5 Fiberglass

8 RMP (SR)

10 Asbestos-cement

6 Concrete tile

9 ABS

11 Other (specify)

12 None used (open hole)

5 Gauzed wrapped

8 Saw cut

11 None (open hole)

6 Wire wrapped

9 Drilled holes

7 Torch cut

10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 2 ft. to 10 ft., From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 2 ft. to 10 ft., From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other

Grout Intervals: From 0 ft. to 2 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)

Direction from well?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

0 10 Rust-brown silty clay

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/20/94 and this record is true to the best of my knowledge and belief. Kansas

Water Well Contractor's License No. 534 This Water Well Record was completed on (mo/day/yr) 9-19-95

under the business name of PSI by (signature) Larra Kon