

1 LOCATION OF WATER WELL:		Fraction County: Butler	1/4 NW 1/4 NE 1/4	Section Number 19	Township Number T 96 S	Range Number R 6 E	
Distance and direction from nearest town or city street address of well if located within city? City of El Dorado is 3 miles northwest.							
2 WATER WELL OWNER:		City of El Dorado P.O. Box 792 El Dorado, KS 67042					Board of Agriculture, Division of Water Resources Application Number: 1369-84 Ground
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 12 ft. ELEVATION: 1365-12 ft. ft. 3. ft.					
		Depth(s) Groundwater Encountered 1. 1365-12 ft. 2. ft. 3. ft.					
		WELL'S STATIC WATER LEVEL 1365-12 ft. below land surface measured on mo/day/yr 2/9/98					
		Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 8 in. to 12 ft. and in. to ft.					
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
		Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> ; If yes, mo/day/yr sample was submitted					
		Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
5 TYPE OF BLANK CASING USED:		5 Wrought iron 1 Steel 3 RMP (SR) <input checked="" type="checkbox"/> PVC 4 ABS	6 Asbestos-Cement 7 Fiberglass	8 Concrete tile 9 Other (specify below)	CASING JOINTS: Glued Clamped Welded Threaded <input checked="" type="checkbox"/>		
Blank casing diameter 2 in. to 2 ft., Dia in. to ft., Dia in. to ft.							
Casing height above land surface Flush in. weight lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:		PVC 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 6 Wire wrapped 7 Torch cut	8 Saw cut 9 Drilled holes 10 Other (specify)	11 None (open hole)			
1 Continuous slot <input checked="" type="checkbox"/> Mill slot 2 Louvered shutter 4 Key punched		12					
SCREEN-PERFORATED INTERVALS: From 12 ft. to 2 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From 12 ft. to 2 ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement Grout Intervals: From 2 ft. to 0 ft., From ft. to ft., From ft. to ft., From ft. to ft.		2 Cement grout 3 Bentonite <input checked="" type="checkbox"/>	4 Other				
What is the nearest source of possible contamination:		7 Pit privy 8 Sewage lagoon 9 Feedyard	10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage	14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below)			
Direction from well? West		How many feet? 75					
FROM 0	TO 5'	LITHOLOGIC LOG Black silty clay w/moderate iron veins, slight odor, soft		FROM	TO	PLUGGING INTERVALS	
5	12'	Tan Limestone w/ silt matrix, no odor					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 3-22-98		and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 634		This Water Well Record was completed on (mo/day/yr) March 6 98					
under the business name of Shawnee Tech		by (signature) M. 78.0					