


| | | | | | |
|---|--------|--|--|--|--|
| 1 LOCATION OF WATER WELL: | | Fraction SW 1/4 NW 1/4 NE 1/4 | Section Number 19 | Township Number T 26 S | Range Number R 6 EW |
| Distance and direction from nearest town or city street address of well if located within city? City of El Dorado is 3 miles northwest. | | | | | |
| 2 WATER WELL OWNER: | | City of El Dorado P.O. Box 792 El Dorado, KS 67042 | | | |
| | | Board of Agriculture, Division of Water Resources Application Number: | | | |
| 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | |  | | | |
| | | 4 DEPTH OF COMPLETED WELL 12 ft. ELEVATION 1369.50 , Ground Depth(s) Groundwater Encountered 1365.08 ft. 2 1365.63 ft. 3 ft. WELL'S STATIC WATER LEVEL 1365.63 ft. below land surface measured on mo/day/yr 2/9/98 Pump test data: Well water was NA ft. after NA hours pumping gpm Est. Yield NA gpm Well water was NA ft. after NA hours pumping gpm Bore Hole Diameter 8 in. to 12 ft. and 12 in. to 12 ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/> | | | |
| 5 TYPE OF BLANK CASING USED: | | 5 Wrought iron <input checked="" type="checkbox"/> Steel <input checked="" type="checkbox"/> PVC | 8 Concrete tile 6 Asbestos-Cement 7 Fiberglass | CASING JOINTS: Glued <input type="checkbox"/> Clamped <input type="checkbox"/> Welded <input type="checkbox"/> Threaded <input checked="" type="checkbox"/> | |
| | | Blank casing diameter 2 in. to 2 ft., Dia in. to 2 ft. | | | |
| | | Casing height above land surface flush in., weight lbs./ft. | | Wall thickness or gauge No. in. to | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify) | | | |
| SCREEN OR PERFORATION OPENINGS ARE: | | 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 2 Louvered shutter 4 Key punched 6 Wire wrapped 7 Torch cut | | | |
| SCREEN-PERFORATED INTERVALS: | | From 12 ft. to 2 ft., From ft. to ft. | From ft. to ft., From ft. to ft. | | |
| GRAVEL PACK INTERVALS: | | From 12 ft. to 2 ft., From ft. to ft. | From ft. to ft., From ft. to ft. | | |
| 6 GROUT MATERIAL: | | 1 Neat cement Grout Intervals: From 2 ft. to 0 ft., From ft. to ft. | 2 Cement grout From ft. to ft., From ft. to ft. | 3 Bentonite From ft. to ft., From ft. to ft. | 4 Other 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) How many feet? 60 |
| What is the nearest source of possible contamination: | | 1 Septic tank 4 Lateral lines 7 Pit privy 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard | | | |
| Direction from well? | | North | | | |
| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
| 0 | 5' | Black silty clay w/ brown mottling, iron stains, organics, no odor | | | |
| 5 | 5 1/2' | Limestone cobbles | | | |
| 5 1/2 | 12' | Tan silty clay w/ iron stains, sand traces, no odor, soft, moist | | | |

| | | | | | |
|--|--|--|--|--|--|
| 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: | | This water well was <input checked="" type="checkbox"/> constructed, <input type="checkbox"/> reconstructed, or <input type="checkbox"/> plugged under my jurisdiction and was completed on (mo/day/year) Jan 26 98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 634 This Water Well Record was completed on (mo/day/yr) March 6 98 by (signature) Mark Shieff | | | |
|--|--|--|--|--|--|