

1 LOCATION OF WATER WELL:	Fraction <u>NE 1/4</u>	Section Number <u>17</u>	Township Number <u>T 26 S</u>	Range Number <u>R 7 E</u>			
County: <u>BUTLER</u>	Distance and direction from nearest town or city street address of well if located within city? <u>ELDORADO 8 EAST 1504TH 1/2 EAST SOUTH SIDE</u>						
2 WATER WELL OWNER: <u>MRS. H. BENDER</u>	Board of Agriculture, Division of Water Resources						
RR#, St. Address, Box # : <u>ROSALIA KS</u>	Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
4 DEPTH OF COMPLETED WELL <u>58</u> ft. ELEVATION:							
Depth(s) Groundwater Encountered <u>125</u> ft. 2. ft. 3. ft.							
WELL'S STATIC WATER LEVEL <u>15</u> ft. below land surface measured on mo/day/yr							
Pump test data: Well water was ft. after hours pumping gpm							
Est. Yield <u>4</u> gpm: Well water was ft. after hours pumping gpm							
Bore Hole Diameter <u>12"</u> in. to <u>58</u> ft., and in. to ft.							
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well							
Was a chemical/bacteriological sample submitted to Department? Yes No <u>X</u> ; If yes, mo/day/yr sample was submitted							
Water Well Disinfected? Yes <u>X</u> No							
5 TYPE OF BLANK CASING USED:							
1 Steel <u>2 PVC</u>	3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped			
4 ABS	6 Asbestos-Cement	9 Other (specify below)		Welded			
Blank casing diameter <u>8</u> in. to ft., Dia in. to ft., Dia in. to ft.	7 Fiberglass			Threaded			
Casing height above land surface <u>24"</u> in., weight lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement			
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)			
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot	<u>3 Mill slot</u>	5 Gauzed wrapped	8 Saw cut	11 None (open hole)			
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes	12 None used (open hole)			
SCREEN-PERFORATED INTERVALS: From <u>18</u> ft. to <u>58</u> ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From <u>13</u> ft. to <u>58</u> ft., From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From <u>13</u> ft. to <u>31</u> ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well			
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well			
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)			
Direction from well? <u>NE</u> How many feet? <u>300</u>							
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
<u>0</u>	<u>4</u>	<u>SILT</u>					
<u>4</u>	<u>40</u>	<u>LIMESTONE</u>					
<u>40</u>	<u>55</u>	<u>SHALE</u>					
<u>55</u>	<u>58</u>	<u>LIM</u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10-15-86</u> and this record is true to the best of my knowledge and belief, Kansas.							
Water Well Contractor's License No. <u>414</u> This Water Well Record was completed on (mo/day/yr) <u>19-30-86</u> by (signature) <u>Virg C. Hooboom</u>							
under the business name of <u>H+S DRILLING</u>							
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Office of Oil Field and Environmental Geology, Regulation and Permitting Section, Topeka, Kansas 66620-7500, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.							