


1 LOCATION OF WATER WELL:	Fraction	NE $\frac{1}{4}$ SE $\frac{1}{4}$	Section Number	Township Number	Range Number		
County: <i>Butler</i>	18	T - 26 - S	R - 7 - E				
Distance and direction from nearest town or city street address of well if located within city? <i>8 mi. East of El Dorado on Highway 54 and 1 3/4 miles South</i>							
2 WATER WELL OWNER:	<i>Bob Bohner</i>		Board of Agriculture, Division of Water Resources				
RR#, St. Address, Box #	Rural Route #2		Application Number:				
City, State, ZIP Code	<i>El Dorado, Kansas 67042</i>						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			4 DEPTH OF COMPLETED WELL ... 105' ft. ELEVATION: Depth(s) Groundwater Encountered 1. 35' ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL ... 18' ft. below land surface measured on mo/day/yr 4/8/82 Pump test data: Well water was ft. after hours pumping gpm Est. Yield 10 gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter 12' in. to 105' ft., and in. to ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:	1 Steel PVC	3 RMP (SR) ABS	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped Welded Threaded		
Blank casing diameter	8 in. to 105'	ft., Dia	6 Asbestos-Cement	9 Other (specify below)			
Casing height above land surface	18"	in., weight	7 Fiberglass				
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement		
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS		11 Other (specify)		
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot	3 Mill slot	5 Gauzed wrapped		12 None used (open hole)		
2 Louvered shutter	4 Key punched	6 Wire wrapped	7 Torch cut		13 Saw cut		
SCREEN-PERFORATED INTERVALS:	From 20'	ft. to 105'	ft., From ft. to ft.	11 None (open hole)			
GRAVEL PACK INTERVALS:	From 15'	ft. to 105'	ft., From ft. to ft.	10 Other (specify)			
6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	14 Abandoned water well		
Grout Intervals:	From 3 ft. to 15 ft.	ft., From ft. to ft., From ft. to ft.	10 Livestock pens	15 Oil well/Gas well			
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage			
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage				
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage				
Direction from well?	How many feet? 40 ft						
FROM	TO	LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG	
0	1	<i>Soil</i>					
1	45	<i>LIMESTONE (water 35')</i>					
45	47	<i>Shale</i>					
47	82	<i>LIMESTONE</i>					
82	87	<i>SOFT LIMESTONE</i>					
87	94	<i>RED Shale</i>					
94	99	<i>LIMESTONE + SANDSTONE</i>					
99	105	<i>LIMESTONE (water 99')</i>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/8/82 4/13 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 413 This Water Well Record was completed on (mo/day/yr) 4/25/82 by (signature) <i>Thomas A. Blackwell</i>						
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							