		and the second se	Form WWC-5	KSA 82			
LOCATION OF WATER				ion Numbe			Range Number
ounty: Scagwi	K SE	VA NE VA NE	= 1/4	31	T 2	LS	<u>R 1 (E)</u> W
		eet address of well if located	within city?				MW-7
	Si Seneca 1	and Chemical	0 0				TTTTT
WATER WELL OWNE	HI FINA UII	and Chemical	c com	rang	Board of A	riculture D	ivision of Water Resource
ty, State, ZIP Code	F. P.O. Box 2	-157 	1_1				
		1xas 752	- 1				
AN "X" IN SECTION E		DF COMPLETED WELL oundwater Encountered 1.					
<u> </u>							
NW	= Nt=/1	Pump test data: Well water				-	
		gpm: Well water Diameterin. to .				-	
w _ ; _ +	- F				8 Air conditioning		
i	1 Dome						ther (Specify below)
SW	- SE 2 Irrigat						······
		nical/bacteriological sample s	-	•			
	mitted				ater Well Disinfected		
TYPE OF BLANK CAS		5 Wrought iron	8 Concret				Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement		specify belo)w)	Welde	d
2 PVC	4 ABS	7 Fiberglass				Thread	led
ank casing diameter	in. to	ft., Dia					n. to
		in., weight					
PE OF SCREEN OR	PERFORATION MATERIAL	.:	7 PVC	;	10 Asbe	stos-cemer	ıt
1 Steel	3 Stainless steel	5 Fiberglass	8 RMF	9 (SR)	11 Othe	r (specify).	
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	6	12 None	e used (ope	n hole)
REEN OR PERFORA	TION OPENINGS ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	vrapped		9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch					•••••
CREEN-PERFORATED		ft. to		4 F		ft to	
		ft. to		ft., Fr	om	ft. to	
GRAVEL PACK	INTERVALS: From	ft. to ft. to		ft., Fr	om	ft. to	
	INTERVALS: From From		· · · · · · · · · · · · · · · · · · ·	ft., Fr ft., Fr ft., Fr	om	ft. to ft. to ft. to	
GROUT MATERIAL:	INTERVALS: From From 1 Neat cement	ft. to ft. to ft. to 2 Cement grout	3 Bentor	ft., Fr ft., Fr <u>ft., Fr</u> hite 4	om om om	ft. to ft. to ft. to	ft
GROUT MATERIAL: rout Intervals: From.	INTERVALS: From From 1 Neat cement ft. to		3 Bentor	ft., Fr ft., Fr ft., Fr hite 4	om	ft. to ft. to ft. to	
GROUT MATERIAL: rout Intervals: From. hat is the nearest source	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio	ft. to ft. to ft. to 2 Cement grout ft., From	3 Bentor	ft., Fr ft., Fr ft., Fr nite 4 0 10 Live	om	ft. to ft. to ft. to 14 Ab	
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank	INTERVALS: From From 1 Neat cement t. to ce of possible contaminatio 4 Lateral lines		3 Bentor	ft., Fr. ft., Fr. ft., Fr. hite 4 0 10 Live 11 Fue	om	ft. to ft. to ft. to 14 Ab 15 Oil	
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio		3 Bentor	ft., Fr ft., Fr dite 4 0 10 Live 11 Fue 12 Fert	om	ft. to ft. to ft. to 14 Ab 15 Oil	
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool		3 Bentor	ft., Fr ft., Fr nite 4 0 10 Live 11 Fue 12 Fert 13 Inse	omom om b Other t Other t stock pens I storage ilizer storage	ft. to ft. to ft. to 14 Ab 15 Oil	
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool		3 Bentor	ft., Fr ft., Fr nite 4 0 10 Live 11 Fue 12 Fert 13 Inse	omom	ft. to ft. to ft. to 14 Ab 15 Oil	ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr ite 4 0 10 Live 11 Fue 12 Fert 13 Inse How m	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Ott	. ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr ite 4 0 10 Live 11 Fue 12 Fert 13 Inse How m	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Ott	ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr ite 4 0 10 Live 11 Fue 12 Fert 13 Inse How m	omom	14 Ab 15 Oil 16 Otl	ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr ite 4 o 10 Live 11 Fue 12 Fert 13 Inse How m TO 10	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng We S 9nd	. ft. ft. . ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How m	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	. ft. ft. . ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How m	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	. ft. ft. . ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How m	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	. ft. ft. . ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	. ft. ft. . ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	ft. to
GROUT MATERIAL: rout Intervals: From. /hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	. ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	. ft. ft. . ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well?	INTERVALS: From From 1 Neat cement ft. to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit		3 Bentor ft. tr on	ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO How 2 	omom	ft. to ft. to ft. to 14 Ab 15 Oil 16 Otl JGGING IN Ng Wa	ft. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO COM COM COM COM COM COM COM CO	INTERVALS: From From 1 Neat cement 	ft. to ft. to ft. to ft. to 2 Cement grout ft., From rr: 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG	3 Bentor ft. tr on FROM FROM 6 0 3	ft., Fr ft., Fr ft., Fr ite 10 Live 11 Fue 12 Fert 13 Inse How m TO 	com com	ft. to ft. to ft. to 14 Ab 15 Oil 16 Oth JGGING IN My Wo 3 and 4 9 CO	tt tt tt tt tt tt tt tt tt tt
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer irection from well? FROM TO FROM TO CONTRACTOR'S OR	INTERVALS: From From I Neat cement I Neat cement I to Ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLO LITHOLO	cATION: This water well wa	3 Bentor 	ft., Fr ft., Fr ft., Fr ite 4 0 10 Live 11 Fue 12 Fert 13 Inse How m TO JO 3 6 7 7 7 7 7 7 7 7	om om om to ther stock pens I storage ilizer storage cticide storage any feet? PLI Well Casi Collapsed hest Cemen to f - Soil constructed, or Opt	in the to the test of	tr my jurisdiction and water
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? ROM TO ROM TO CONTRACTOR'S OR mpleted on (mo/day/ye	INTERVALS: From From 1 Neat cement 1 Neat cement 1 to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLO LITHOLO LANDOWNER'S CERTIFIC ar) 8 / 13 / 9 4	ft. to ft. to ft. to ft. to 2 Cement grout ft. from in: 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG Cartion: CATION: This water well wa	3 Bentor ft. tr on FROM FROM 6 10 3 5 10 16 10 16 10 16 10 10 10 10 10 10 10 10 10 10	ft., Fr ft., Fr ft., Fr ite 4 o 10 Live 11 Fue 12 Fert 13 Inse How m TO How m TO ted, (2) rec and this rec	omom omom I Otherti., From stock pens I storage ilizer storage cticide storage any feet? PLI Well Casi Collapsed hest Cemen to f to f to f constructed, or Do ord is true to the best	in the to the test of	tt. to
GROUT MATERIAL: rout Intervals: From. hat is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO CONTRACTOR'S OR	INTERVALS: From From 1 Neat cement 1 Neat cement 1 Neat cement 1 to ce of possible contaminatio 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLO LITHOLO LITHOLO ANDOWNER'S CERTIFIC ar) . & /.13 /.9.4 License No. G /.7.	ft. to ft. to ft. to ft. to 2 Cement grout ft. from in: 7 Pit privy 8 Sewage lago 9 Feedyard GIC LOG Cartion: CATION: This water well wa	3 Bentor ft. tr on FROM FROM 6 10 3 5 10 16 10 16 10 16 10 10 10 10 10 10 10 10 10 10	ft., Fr ft., Fr ft., Fr 10 Live 11 Fue 12 Fert 13 Inse How m TO 10 Live 14 Fue 12 Fert 13 Inse How m TO 10 Live 14 Fue 15 Fert 16 Fert 17 Fue 17 Fue 18 Fert 19 Fert 19 Fert 19 Fert 10 Fert 1	com	in the to the test of	r my jurisdiction and wa