		Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number .	
Sedgwick	NE SW 1/4	SE 1/4 N	E 1/4	18	T 27 8	R 1E E/W	
Distance and direction frem nearest town or ci	ly street address of well if loc	ated within city?					
1321 W. River B	lvd, V	Wichita, Ka	nsas				
	KENTHALER,						
Laure B	1 W. River				Board of Agriculture, D	ivivsion of Water Resource	
•	hita, Kansa				Application Number	r:	
3 LOCATE WELL'S LOCATION WITH	4 DEPTH OF CO	HEETED WELL	29	ft. ELE	VATION:		
AN "X" IN SECTION BOX:	Depth(s) groundw	ater Encountered	1	ft.	2 ft.	3 ft.	
	WELL'S STATIC W	ATER LEVEL 13	FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	06/07/1995	
NWNE	Pump tes	t data: Well wa	ater was	ft. a	ifter hours pum	• •	
	Est. Yield	gpm: Well w	ater was	ft. s	after hours pum		
W X E	Bore Hole Diameter	in. t	0	ft.	and in.	to ft.	
= "	WELL WATER TO	BE USED AS: 5	Public water	supply 8	3 Air conditioning 11 le	njection well	
	1 Domestic	3 Feedlot 6	Oll field wat	er supply 9	Dewatering 12 C	Other (Specify below)	
	2 Irrigation	4 Industrial 7	Lawn and ga	rden only 10	0 Monitoring well		
]	Was a chemical/bacte	eriological sample sub	mitted to De	partment? Yes	No 🗶 ; If yes, m	o/day/yr sample was	
S	submitted			Wate	er Well Disinfected? Yes	X No	
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tile	CASING JOINTS: G	lued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cement	9 (Other (Specify be	low) V	Velded	
2 PVC 4 ABS		7 Fiberglass			Т	hreaded	
Blank casing Diameter 6	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above and surface	36 in.,	welght		lbs. / ft. V	Vall thickness or gauge No.		
TYPE OF SCREEN OR PERFORA			7	PVC	10 Asbestos-ceme	ent	
1 Steel 3 Stainless Steel		5 Flberglass	8	RMP (SR)	11 other (specify) N/A	
2 Brass 4 Galvanized ste	el	6 Concrete tile	9	ABS	12 None used (op	•	
SCREEN OR PERFORATION OF	ENING ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill s	lot	6 Wire w			9 Drilled holes		
2 Louvered shutter 4 Key p	unched	7 Torch	cnt		10 Other (specify) N	/ A	
SCREEN-PERFORATION INTERV	VALS: from	ft. (O From		ft.	
	from			ft., From	ft. to		
GRAVEL PACK INTER		ft. 1 ft.		ft., From ft., From	ft. to	ft.	
GRAVEL FACE INTER	from			ft., From		ft. ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From O	ft. to 6	ft. From				A 40 A	
What is the nearest source of possible contamination:				10 Livestoc	ft. From :k pens 14 A	ft. to ft. bandon water well	
1 Septie tank 4 Lateral lines		7 Pit privy		11 Fuel sto		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertiliz		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? Northw	· •				How many feet? 20		
	LITHOLOGIC LOG		FROM	TO	PLUGGING INTE	RVALS	
			0	6 0	ement grout		
			6	13 k	bentonite hole plug		
			13	29 c	chlorinated san	d and gravel	
1							
<u> </u>							
	- Transition of the second						
7 CONTRACTOR'S OR LANDOWNE		• • • • • • • • • • • • • • • • • • •			4 1 40		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
Well Contractor's License No							
Ocase Toodship							
Jane Frederick							