			T pp. crion	Wate	r Well Recor	d Form WWC-5						
	ON OF WATER W		FRACTION	377.7		NT	Section Numb			Ra	nge Number	
	edgwick		SE 1/4 y street address of well if			NE 1/4	22	т 27	S	L R	1E E/W	
	S. Est			ita, K								
	R WELL OWNER			ita, N	ansas	<b>)</b>						
RRM, ST. ADRESS, BOX#: 150 N. Market							Board of Agriculture, Divivation of Water Resource					
CITY, STATE, ZIP CODE: Wichita, Kansa					S				Application Number:			
	WELL'S LOCATION	ON WITH	4 DEPTH OF O	OMPLETE	WELL	24	ñ.	ELEVATION:				
AN "X" II	N SECTION BOX:		Depth(s) ground	dwater Enco	untered	1	ft.	2	ſt.	3	n.	
1 1			WELL'S STATIC				. BELOW LAND	SURFACE MEASURE			19/1995	
' }	NW	XE		test data:		water was	ſt.	after	hours pun		gpm	
<u>.</u>			Est. Yield	gpm:	in.	water was	ft.	. after and	hours pun in.	ipin <b>g</b> to	gpm ft.	
M M	· ·	E	Bore Hole Diamete	3A5 <del>9 B</del> E USED		5 Public wate		8 Air condition		njection w		
			1 Domestic	3 Feedl		6 Oil field wa	ter supply	9 Dewatering	-	•	cify below)	
	SW		2 Irrigation	4 Indus	trial	7 Lawn and g	garden only	10 Monitoring v	rell			
1 [			Was a chemical/ba	cteriological	sample s	ubmitted to D	epartment? Y	es N	X; If yes, n	10/day/yr s	ample was	
	S		submitted					Water Well Disinfe	cted? Yes	<u> </u>	No	
	E OF CASING				ught iron		Concrete tile		_	lued	Clamped	
1 Steel		RMP (SR)	-		stos-Ceme	ent 9	Other (Speci	fy below)		Velded		
2 PVC		ABS		7 Fiber	-					Threaded		
Blank casi	ing Diameter	6-floor	in. to	ft.,	Dia	in.		ft., Dia	in.	to	ft.	
Casing height above hand surface 24 in., weight TYPE OF SCREEN OR PERFORATION MATERIAL:							lbs. / ft. Wall thickness or gauge No. 7 PVC 10 Asbestos-cement					
1 Steel 3 Stainless Steel 5 Fiberglass						1	8 RMP (SR) 11 other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile						9	9 ABS 12 None used					
SCREEN OR PERFORATION OPENING ARE: 5 Gauze						zed wrapped	••			11 None (open hole)		
1 Contino	ous slot	3 Mill sl	lot		6 Wir	e wrapped		9 Drilled h	oles			
2 Louvere	ed shutter	<b>4 Key p</b>	unched		7 Toro	ch cut		10 Other (	specify) N	/A		
SCREEN-	PERFORATIO	ON INTERV	VALS: from		U	. to	<b>n.</b> , F	rom	ft. to		ſt.	
from GRAVEL PACK INTERVALS: from from					ft. to		ſt., F				ft.	
					ft. to ft. to		-	rom rom	,		ft.	
6 GROU	T MATERIAI	.: 1 Neat		2 Cement gr			ntonite	4 Other	16 10			
	ervals: From	_	R. to 4	ft. I	rom	ft.	to	ft. Fro	m	ft. to	ſt.	
What is the nearest source of possible contamination:							10 Livestock pens 14 Abandon water well					
1 Septic tank 4 Lateral lines					Pit privy		11 Fuel storage		15 Oll well/Gas well			
2 Sewer lines 5 Cess pool					12 T			tilizer storage 16 Other (specify below)				
	ight sewer line	6 Seep	age plt	9 F	eedyard		15 118	•		App	arent	
Direction FROM	from well?		LITHOLOGIC LO	G		FROM	ТО	How many		DVAIS		
- NOM			Diffiologic bo	<u> </u>			4	PLUGGING INTERVALS  cement grout				
						0 4	12	bentoni		plug	****	
						12	24	chlorin			l gravel	
								-				
7 CONT	RACTOR'S or	R LANDOWNE	R'S CERTIFICATION:	This water v	vell was	(1) construct	ed, (2) recon	structed, or (3) p	ugged under r	ny jurisdi	ction and	
			06/19									
			236 arp Well &							<b>ዣ</b> .ፕ.አ.ጛ	************	
Under th	ia naziu622 U	aine oiAks	**************************************	A.IMII <u>I</u> V		.#.W.R./A	₩.₩ Dy (S	ignature)	Jane 9	nodos	ick.	