1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-5		T =	Range Number
	1			Section Number	Township Number	
Sedgwick	NE 1/4	NE 1/4 SI	N 1/4	7	т 27 s	R 1E EW
Distance and direction frem nearest town or city-street address of well if located within city?						
1680 N. Clarence Wichita, Kansas						
	KEL, George					
	30 N. Claren				Board of Agriculture, Di	vivsion of Water Resource
0000 0000 000 000 000 000 000 000 000						
		APLETED WELL	20		Application Number	·
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:			28		VATION:	
• • • • • • • • • • • • • • • • • •	Depth(s) groundw		1	ñ.	2 ft.	3 ft.
	WELL'S STATIC W			. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	06/28/1995
NW NE	Pump test	data: Well wa	iter was	ft. a	fter hours pum	pin g gpm
	Est. Yield	gpm: Well w	ater was	ft. a	ifter hours pum	ping gpm
	Bore Hole Diameter	in. t	0	ft.	and In.	to ft.
WELL WATER TO THE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						njection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						Other (Specify below)
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
		riological sample sub	witted to D	nartment? Ves	No. V : If yes, m	o/day/yr sample was
S						
TUBE OF CLOSING HOLD						
		5 Wrought iron		Concrete tile		lued Clamped
1 Steel 3 RMP (SR))	6 Asbestos-Cement	9	Other (Specify be	•	/elded
2 PVC 4 ABS		7 Fiberglass			T	hreaded
Blank casing Diameter 1 1/4	in. to	ft., Dia	in.	to	ft., Dia in.	to ft.
Blank casing Diameter 1 1/4 below beneat floor Casing height above and surface	60 in.,	weight		lbs. / ft. V	Vall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement						ent
5 Fibereless Q DATE (SD)) N/A
2 Brass 4 Galvanized st	teel	6 Concrete tile	9	ABS	12 None used (or	II/A
9 Company						
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wra 1 Continous slot 3 Mill slot 6 Wire wrapp					9 Drilled holes	11 None (open note)
Jillu	o wire w					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A						
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to ft.						ft.
1	ft. to ft., i		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from				ft., From	ft. to	n.
from		ft.	ft. to ft., F			
6 GROUT MATERIAL: 1 Nest cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 28 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possib	ole contamination:			10 Livestoc		bandon water well
1 Septic tank 4 Late	eral lines	7 Pit privy 11		11 Fuel sto	cl storage 15 Oil well/Gas well	
2 Sewer lines 5 Ce	ss pool	8 Sewage lagoon		12 Fertilize		Other (specify below)
13 Innecticide eterrane					construction (aprend)	
Direction from well? South	LITHOLOGIC LOG		FROM	то	Ilow many feet? 5 PLUGGING INTER	MAYO
TAOM 10	El liobodic Lod					CVALS
			0	28 9	ement grout	
A STATE OF THE PARTY OF THE PAR						
			ļ			
				_		
						77.
				-i		
						71
	** ** ** ** ** ** ** ** ** ** ** ** **					114 14 14 14
				_		
<u> </u>			<u> </u>			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and						
was completed on (mo/day/year)						
Well Contractor's License No	236	This Water Well Rec	ord was c	ompleted on (mo	/day/yr)Q6./.2.9	3 <u>/.95</u>
Under the business name of Harp Well & Pump Service, Inc by (signature)						
					Jane F	rederick
					Ø	