		WA	TER WELL	RECORD	Form WW	C-5 KSA 8	32a-1212		MW-	1
LOCATION OF WA		Fraction				Section Numb		Number 27 S	Range R 1	Number
Distance and direction				/4	/4			·· <u> </u>		G
	1240 S. Bro									
WATER WELL OV	VNER:									
RR#, St. Address, Bo	<sub>x #</sub> City of 1	Wichita					Board o	of Agriculture,	Division of Wa	ater Resource
City, State, ZIP Code	City Hal	1, 455 N	. Main,	Wichita	a, KS 6	7214	Applica	tion Number:		
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF	COMPLET	ED WELL	22.5	L. ft. ELE				
AN "X" IN SECTIO	N BOX:						i. 2			<b>.</b>
		WELL'S STAT	IC WATER	LEVEL 15	5 H	. below land	surface measured	on mo/day/yi	8/9/95	
		Pu	imp test dat	ta: Well wa	ter was	<del></del> ft	. after	. hours p	umping	apm
NW	NE	Est. Yield		m: Well wa	ter was	ft	after	hours p		000
		Bore Hole Dia	meter8.	625 to	22.5	5f	t., and	· · · · · · · · · · · · · · · · · · ·	n. to	ft
• w X I		WELL WATER				ater supply	8 Air condition		Injection well	
- 1 1 5w		1 Domes	tic 3	Feedlot		water supply		12	Other (Specif	y below)
sw	50	2 Irrigatio	n 4	Industrial	7 Lawn an	d garden only		well MW	7.	• • • • • • • • • • • •
		Was a chemic	al/bacteriolc	gical sample	submitted to	Department?	YesNo	X; If yes	s, mo/day/yr sa	ample was sui
	\$	mitted			-		Water Well Disinfe	ected? Yes	No	X
TYPE OF BLANK	CASING USED:		5 Wrou	ight iron	8 Cor	crete tile	CASING	JOINTS: Glue	d Cla	mped
1 Steel	3 RMP (SP	R)	6 Asbe	stos-Cement	9 Oth	er (specify be	elow)		ded <b></b>	
(2) vc	4 ABS	17	J Fiber	glass				Thre	aded. X	
Blank casing diameter		.in. to / . 4.	. <b></b> ft.	, Dia		to	ft., Dia	<del></del>	in. to	<del>.</del>
Casing height above I	and surface	0	in., weig	ght			os./ft. Wall thickne	ss or gauge N	lo	
TYPE OF SCREEN C	R PERFORATION	N MATERIAL:			$\sim$	₽vc		Asbestos-cem		
1 Steel 3 Stainless steel 5 Fiberglass						RMP (SR) ABS	11 (	Other (specify	) <del></del> .	
2 Brass	2 Brass 4 Galvanized steel 6 Concrete tile							None used (o	pen hole)	
SCREEN OR PERFO	-				zed wrapped		8 Saw cut		11 None (o	pen hole)
1 Continuous sk	$\sim$				wrapped		9 Drilled hole			
2 Louvered shut		ey punched	12.5	7 Torc	~ ~ ~	5	10 Other (spe			
SCREEN-PERFORAT	ED INTERVALS:	From					rom			••••••••••••••••••••••••••••••••••••••
SAUD		From		ft. to .			rom		to	tt.
GHAVEL PA	CK INTERVALS:	From	 <b></b>	ft. to .	••••••••••••••••••••••••••••••••••••••		From <del></del>			π.
	Lia, 1 Neato		(2)Cemer		280	ntonite	4 Other	<u> </u>		ft.
	Z. O	13	ft ft	From			ft., From			
					9		vestock pens		bandoned wa	
Vhat is the nearest source of possible contamination: 7 1 Septic tank 4 Lateral lines 7 Pit privy					'		el storage		Dil well/Gas w	
2 Sewer lines 5 Cess pool 8 Sewage lagoo					noor		rtilizer storage		Other (specify	
	ver lines 6 Seep	•		Feedyard	<b>J</b> 0011		secticide storage		inated	001011
Direction from well?	·····	-3	-	,, <b>,</b>			nany feet?	site		
FROM TO		LITHOLOGI	C LOG		FROM	TO		PLUGGING	NTERVALS	
GL 1.00	Soil							Flush	Mount Wai	
1.00 6.50	Silty Cla	ay (CL)						Don Ta	ylor	
6.50 8.00	Clayey Si								7/6/95	
8.00 22.50	Sand (SP)	)								
22.50 TD	End of Bo	orehole								
				water well .	vac (1) cons	ructed (2) re	econstructed or (3	au benould (8	dor my juriodi	tion and was
CONTRACTOR'S			TION: This	water wen v	vas (1) cons			) plugged un	uer my junsuid	cuon and was
ompleted on (mo/day	/year)	/8/.95				and this re	ecord is true to the	best of my kr	owledge and	
ompleted on (mo/day Vater Well Contractor	/year)	/ 8/.95 5.85		This Water V	Vell Record	and this re was complete	ecord is true to the	best of my kr		
mpleted on (mo/day ater Well Contractor der the business na	/year)	/8/95 585 Lated Env:	ironment	This Water V tal, Inc	Vell Record	and this re was complete by (sig	ecord is true to the	best of my kr	owledge and 1 8/10/.95.	belief. Kansa