1 LOCATION OF WATER WELL:	FRACTION	Water Well Record	Form WWC-S	Section Number	Township Number	Range Number	
Sedgwick	SE 1/4	SW 1/4 SV	T 1/4	20	T 27 s	R 1E EW	
Distance and direction from nearest town or city street address of well if located within city?							
301 S. Handley Wichita, Kansas							
	ND, Leand					77.7 E	
	. Handley				Board of Agriculture, D	ivivsion of Water Resource	
	ta, Kansa			67213	Application Numbe	.	
3 LOCATE WELL'S LOCATION WITH 4		WELL WELL	28		EVATION:	-	
LIVERY DI ADOTTON DOV	Depth(s) groundw		1	ft.	2 ft.	3 ft.	
WELL'S STATIC WATER LEVEL 14 FT. BELOW LAND SURFACE MEASURED ON MIN/day/yr 07/20/1995							
	Pump test				after hours pum		
NW NE Ret	Yield		iter was	ft.	after hours pum	· • • • • • • • • • • • • • • • • • • •	
₽ Ro	e Hole Diameter	b P	0	ft.	and in.	to ft.	
E Boi	LL WATER TO	SUSED AS: 5	Public wate			njection well	
	1 Domestic		Oil field wa			Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was							
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							
2 PVC 4 ABS 7 Fiberglass Threaded X							
Blank casing Diameter 1 1/4 in.	to	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above land surface 60	in.,	weight			Wall thickness or gauge No.		
TYPE OF SCREEN OR PERFORATION				7 PVC	10 Asbestos-cem		
1 Steel 3 Stainless Steel		5 Fiberglass		8 RMP (SR)	11 other (specify) N/A	
2 Brass 4 Galvanized steel		6 Concrete tile	9	9 ABS	12 None used (o		
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						11 None (open hole)	
1 Continous slot 3 Mill slot 6 Wire wrapped				9 Drilled holes			
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) N/A					/A		
SCREEN-PERFORATION INTERVALS: from ft. to ft., From ft. to					n.		
	from	ft.	to	ft., Fron		ft.	
GRAVEL PACK INTERVAL	S: from	n.		ft., From		n.	
from		ft. to ft., Fr		ft., Fron		n.	
6 GROUT MATERIAL: 1 Nest cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From O	. to 6	ft. From	n.	to	ft. From	ft. to ft.	
What is the nearest source of possible con	ntamination:			10 Livesto		bandon water well	
1 Septic tank 4 Lateral lines		7 Pit privy 11 F		11 Fuel st	el storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool					tilizer storage 16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well? South How many feet? 10							
FROM TO LITHOLOGIC LOG			FROM	то		IGGING INTERVALS	
			0		cement grout		
			6		bentonite hole		
			20	28	chlorinated sar	d and gravel	
			 				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and							
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)							
was completed on (mo/day/year)	ж.ғ.ғ.жм.	Malakanian 8 This Water Well De	nia (Ni s re c	cora is true to th	ie pest of my knowledge and	Dellet. Kansas Water 1 / 9 5	
Well Contractor's License No							
Jane Frederick							
1					Juliu 0	www.uuru	