

LOCATION OF WATER WELL: <b>Sedgwick</b>		FRACTION <b>NW 1/4 SE 1/4 NE 1/4</b>		Section Number <b>27</b>	Township Number <b>T 27 S</b>	Range Number <b>R 1E E/W</b>
Distance and direction from nearest town or city street address of well if located within city? <b>736 S. Chautauqua Wichita, Kansas</b>						
WATER WELL OWNER: <b>JENKINS, John</b>		Board of Agriculture, Division of Water Resource				
RR#, ST. ADDRESS, BOX #: <b>1500 N. Armour</b>		Application Number: <b>67206</b>				
CITY, STATE, ZIP CODE: <b>Wichita, Kansas</b>						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL <b>23.5</b> ft. ELEVATION: Depth(s) groundwater Encountered <b>1</b> ft. <b>2</b> ft. <b>3</b> ft. WELL'S STATIC WATER LEVEL <b>11</b> FT. BELOW LAND SURFACE MEASURED ON <b>10/11/1995</b> Pump test data: Well water was <b>1</b> ft. after <b>2</b> hours pumping <b>3</b> gpm Est. Yield <b>1</b> gpm: Well water was <b>1</b> ft. after <b>2</b> hours pumping <b>3</b> gpm Bore Hole Diameter <b>UNKNOWN</b> in. to <b>1</b> ft. and <b>2</b> in. to <b>3</b> ft. WELL WATER <b>WAS</b> USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes <b>No</b> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes <b>X</b> No				
TYPE OF CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS Blank casing Diameter <b>1 1/4</b> in. to <b>24</b> in., below basement floor TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile SCREEN OR PERFORATION OPENING ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 2 Louvered shutter 4 Key punched 6 Wire wrapped SCREEN-PERFORATION INTERVALS: from <b>0</b> ft. to <b>23.5</b> ft. From <b>0</b> ft. to <b>23.5</b> ft. GRAVEL PACK INTERVALS: from <b>0</b> ft. to <b>23.5</b> ft. From <b>0</b> ft. to <b>23.5</b> ft.		CASING JOINTS: Glued Clamped Welded Threaded Wall thickness or gauge No. 10 Asbestos-cement 11 other (specify) <b>N/A</b> 12 None used (open hole) 8 Saw cut 11 None (open hole) 9 Drilled holes 10 Other (specify) <b>N/A</b>				
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From <b>0</b> ft. to <b>23.5</b> ft. From <b>0</b> ft. to <b>23.5</b> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandon water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage		Direction from well? <b>Southeast</b> How many feet? <b>8</b> FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS <b>0 23.5 cement grout</b>				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10/11/1995</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>236</b> This Water Well Record was completed on (mo/day/yr) <b>10/13/95</b> Under the business name of <b>Harp Well &amp; Pump Service, Inc.</b> by (signature) <i>Jane Frederick</i>						