1 LOCATION OF WATER WELL: FRACTION	Water Well Record	Form WWC-5 KSA 82a-121 Section Numb		Range Number	
Sedgwick SW NW 1/4	NW 1/4 SE			1.5	
Distance and direction frem nearest town or city street address of well if		, 1/4 31	T 27 s	R 1E EW	
	, Kansas				
2 WATER WELL OWNER: WHEELER, Kenr	eth			District Civin D	
RR#, ST. ADRESS, BOX#: 2030 S. Vine			Board of Agricultu	re, Divivsion of Water Resource	
CITY, STATE, ZIP CODE: Wichita, Kans	as		Application Nu	ımber:	
	WELL WELL	30 n.	ELEVATION:		
AN "X" IN SECTION BOX: Depth(s) ground	dwater Encountered	1 ft.	2 ft.	3 ft.	
WELL'S STATIC	WATER LEVEL 12	FT. BELOW LANI	SURFACE MEASURED ON mo/day/y	" 10/02/1995	
Pump (est data: Well wa	ter was ft.	after hours p	oumping gpm	
Est. Yield	gpm: Well wa	ter was ft.	after hours p	oumping gpm	
E Bore Hole Diamete	runknown in to	ft.	and i	in. to ft.	
WELL WATER	USED AS: 51	ublic water supply	8 Air conditioning	l 1 Injection well	
1 Domestic	3 Feedlot 6	Oil field water supply	9 Dewatering	12 Other (Specify below)	
2 Irrigation	4 Industrial 7	awn and garden only	10 Monitoring well		
Was a chemical/ha	- cteriological sample subn	nitted to Denartment? Y	es No Y : If ve	s, mo/day/yr sample was	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No					
5 TYPE OF CASING USED:	5 Ween by Inc.	9.0			
1 Steel 3 RMP (SR)	5 Wrought iron 6 Asbestos-Cement	8 Concrete tile 9 Other (Speci		Glued Clamped Welded	
2 PVC 4 ABS	7 Fiberglass	y Outer (speci	1) - (1011)	(T)	
	9		A 50	_	
Blank casing Diameter 1 1/4 in. to Casing height land surface 60 in	ft., Dia	in. to lhs./ft.	ft., Dia ir		
Casing height are land surface 60 in TYPE OF SCREEN OR PERFORATION MATERIAL		7 PVC	Wall thickness or gauge No. 10 Asbestos-c		
1 Steel 3 Stainless Steel	5 Fiberglass	8 RMP (SR)	11 other (spe	•• .	
2 Brass 4 Galvanized steel	6 Concrete tile	9 ABS	12 None used	· A/A	
1			8 Saw cut	11 None (open hole)	
SCREEN OR PERFORATION OPENING ARE:		wrapped	9 Drilled holes	11 None (open note)	
J. Marie and C. Ma					
2 Louvered shutter 4 Key punched	7 Torch c	ut	10 Other (specify)	N/A	
SCREEN-PERFORATION INTERVALS: from	ft. to	ft., F	rom ft.	to ft.	
from	ft. to	ft., F	rom ft.	to ft.	
GRAVEL PACK INTERVALS: from	ft. t	o ft., I	rom ft.	to ft.	
from	<u>ft. t</u>	o ft., I	rom ft.	to ft.	
6 GROUT MATERIAL: 1 Neat cement	Cement grout	3 Bentonite	4 Other		
Grout Intervals: From 2 ft. to 30	ft. From	ft. to	ft. From	ft. to ft.	
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandon water well				4 Abandon water well	
1 Septic tank 4 Lateral lines 7 Pit privy		11 Fu	11 Fuel storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Seway				16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent					
Direction from well?			How many feet?		
FROM TO LITHOLOGIC LO	G	FROM TO	PLUGGING IN		
		0 2	surface clays	and silts	
		2 30	cement grout		
			11 Maria (11 Maria 11		
	4.00		111111111111111111111111111111111111111		
			·		
			<u> </u>		
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and					
was completed on (mo/day/year)					
was completed on (mo/day/year)	/1995 ar	nd this record is true t	o the best of my knowledge a	ınd belief. Kansas Water	
Well Contractor's License No236	/1995ar This Water Well Rec	nd this record is true to ord was completed or	o the best of my knowledge a (mo/day/yr)10./	ınd belief. Kansas Water	
was completed on (mo/day/year)	/1995ar This Water Well Rec	nd this record is true to ord was completed or	o the best of my knowledge a (mo/day/yr)10./ ignature)	ınd belief. Kansas Water	