		Water Well Record	Form WWC-5				
1 LOCATION OF WATER WELL:	FRACTION			Section Number	Township Number	Range Number	
Sedgwick	SW 1/4	SE 1/4 S1	W 1/4	35	т 27 s	R 1E E/W	
Distance and direction frem nearest fown or city street address of well if located within city?							
3511 Elmwood	Wichi	to Vonco			•		
		ta, Kansas)				
	LOT, Fred				Board of Appleuiture Di	ivivsion of Water Resource	
SJII BIMWOOD							
1.1	ita, Kansa				Application Number	r:	
3 LOCATE WELL'S LOCATION WITH AN "A" IN SECTION BOX:	DEPTH OF CONT	TARETED WELL	37	n. ELE	VATION:		
N N IN SECTION BOX:	Depth(s) groundwa	ater Encountered	1	n.	2 n.	3 ft.	
	WELL'S STATIC W	ATER LEVEL 16	FT.	BELOW LAND SUR	FACE MEASURED ON mo/day/yr	11/07/1995	
NV NE	Pump test	data: Well wa	ater was	ft. a	ifter hours puni	ping gpnı	
l l l l E	est. Yield	gpm: Well w	ater was	ft. s	after hours pum		
E B	ore Hole Diameter		0	ſt.	and in.	to ft.	
E W	VELL WATER TEL		Public wate			njection well	
1	1 Domestic		Oll field wa			Other (Specify below)	
SWSE						ther (speeing below)	
	2 Irrigation	4 Industrial /	Lawn and g	garden omy 10	0 Monitoring well		
	Nas a chemical/bacte	riological sample sub	mitted to De	•		o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No							
5 TYPE OF CASING USED:		5 Wrought iron	8	Concrete tlle	CASING JOINTS: G	lued Clamped	
1 Steel 3 RMP (SR)		6 Asbestos-Cemen	. 9	Other (Specify be	low)	Velded .	
2 PVC 4 ABS		7 Fiberglass		(•		
		Ū					
	ln. to	ft., Dia	in.	to	ft., Dia In.	to ft.	
Casing height above land surface 36		welght	_		Wall thickness or gauge No.	4	
TYPE OF SCREEN OR PERFORATI	ON MATERIAL:	6 Fibonalasa		PVC	10 Asbestos-ceme		
1 Steel 3 Stainless Steel		5 Fiberglass		RMP (SR)	11 other (specify) N/A	
2 Brass 4 Galvanized steel		6 Concrete tile	9	ABS	12 None used (op	en hole)	
SCREEN OR PERFORATION OPEN	ING ARE:	5 Gauze	d wrapped		8 Saw cut	11 None (open hole)	
1 Continous slot 3 Mill slot	6 Wire wrapped			9 Drilled holes			
2 Louvered shutter 4 Key pun	ched	7 Torch			10 Other (specify) N	/ n	
SCREEN-PERFORATION INTERVA					20,		
SCREEN-FERFORATION INTERVA		ft. (to	ft., From	ft. to	ft.	
	from	ft.	to	ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from		ft. to		ft., From	ft. to	ſt.	
	from	ft.		ft., From	ft. to	<u> </u>	
6 GROUT MATERIAL: 1 Neat ce	ment 2 C	ement grout	3 Bei	ntonite	4 Other		
Grout Intervals: From	ft. to	ft. From	ſt.	to	ft. From	ft. to ft.	
What is the nearest source of possible contamination:				10 Livestoc			
1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel sto	rage 15 ()il well/Gas well	
2 Sewer lines 5 Cess pool		8 Sewage lagoon		12 Fertillz		Other (specify below)	
	9 Feedyard		13 Insecticide storage		tiller (opening seron)		
,	e pit	> recuyatu					
Direction from well? West FROM TO LI	THOLOGICLOG	· · · · · · · · · · · · · · · · · · ·	1 EDOM	- mo I	How many feet? 4	77.4.1.0	
FROM 10 L	ITHOLOGIC LOG		FROM	ТО	PLUGGING INTER	<u> </u>	
			0		ement grout		
			6		entonite hole		
			20	37 c	chlorinated san	d and gravel	
					The second secon		
			i				
			ļ				
<u> </u>			j	1 1			
						The second section with the control of the second section of the section of the second section of the section of the second section of the section of the second section of the	
			<u> </u>				
7 CONTRACTOR'S OR LANDOWNER'S	CEPTIFICATION: This	s water well was (1)	constructe	ed (2) reconstru	cted or (3) plugged under m	v jurisdiction and	
was completed on (mo/day/year)	11/07/1	L995	nd this rec	ord is true to the	best of my knowledge and	belief. Kansas Water	
Well Contractor's License No							
Under the business name of HAX	p Well &	Pump Servi	ce. Ir	1C by feigna	fural	***************************************	
onar the pasticos fiatile similar				mannin by (aigila	Jane J	rodorick.	

đ