			ER WELL RECORD	Form W						
LOCATION OF WA		Fraction	_		VC-5 KSA 82 Section Number	r Township No	ımber	R	ange Nur	•
County: 5EDG1		SE 1		NW4	9	т 27	S	R		<u>E</u> W
Distance and direction	n from nearest tov	wn or city street	address of well if loca	ated within o	ity?					
Approx.	10 Yards	North c	e South	Entra	nce off	17th St	reet			
WATER WELL ON	WNER: Aller	s Concr	ete							
RR#, St. Address, Bo						Board of A	oriculture (Division	of Water	Resource
			3.07			Application	•	511131011	or water	110000100
City, State, ZIP Code		itia i Kis					A			
AN "X" IN SECTION	LOCATION WITH	4 DEPTH OF	COMPLETED WELL.		ft. ELEV	ATION: 1300				
AN X IN SECTIO	N BUX:	Depth(s) Ground	dwater Encountered	1. 1.2.	ft.	2	ft. 3		<u>.</u>	ft.
NW	 NE	Pum	C WATER LEVEL	ater was .	ft.	after	hours pu	mping .		gpm
. .		I .	eterin.							
* w	£		TO BE USED AS:		water supply	8 Air conditioning		Injection		
-	1 1 1							•	Specify be	olow)
sw	SE	1 Domestic			d water supply	9 Dewatering				
1		2 Irrigation				Monitoring well				
		Was a chemical	bacteriological samp	le submitted	to Department?	YesNo	; If yes,	mo/day	/yr sampl	le was sul
	\$	mitted			W	ater Well Disinfected	d? Yes		No	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 C	oncrete tile	CASING JOI	NTS: Glued		. Clampe	d
1 Steel	3 RMP (S	R)	6 Asbestos-Ceme	nt 9.0	ther (specify belo	nw)	Weld	ed		
2 PVC	4 ABS	• • • •	7 Fiberglass		(specify bei	•				
	•		•							
Blank casing diamete			ft., Dia							
Casing height above	land surface	racia	.in., weight	_		s./ft. Wall thickness of	r gauge N	0		
TYPE OF SCREEN (OR PERFORATIO	N MATERIAL:		G	PVC	10 Asb	estos-ceme	ent		
1 Steel	3 Stainless	s steel	5 Fiberglass	8	RMP (SR)	11 Othe	er (specify)			
2 Brass	4 Galvaniz	zed steel	6 Concrete tile		ABS	12 Non	e used (op	en hole)	1	
SCREEN OR PERFO				uzed wrapp		8 Saw cut	0 0000 (0)		ne (open	hole)
				• • •	8 0			11 140	ie (open	(IOI O)
1 Continuous sl		fill slot		re wrapped		9 Drilled holes				
2 Louvered shu	tter 4 K	ey punched		rch cut		10 Other (specify				
SCREEN-PERFORAT	TED INTERVALS:	From	√ ft. to	· [· [ft., Fr	om	ft. t	0		ft
		From	ft. to	٠	ft., Fr	om	ft. t	0		ft
GRAVEL PA	ACK INTERVALS:	: From.	1 5 ft. to	/			ft t	0		ft
					ft., Fr	om		•		
		From	ft. to				ft. t			ft
GROUT MATERIA	L: 1 Neat		ft. to)	ft., Fr		ft. t	0		
•		cement	ft. to 2 Cement grout	<u> </u>	ft., Fr	om	ftt			
Grout Intervals: Fro	om2	cement . ft. to . <u>. 5</u>	ft. to	<u> </u>	ft., Fr	om 4 Other	ft. t	o ft. to		
Grout Intervals: Fro What is the nearest s	om source of possible	cement .ft. to contamination:	ft. to 2 Cement grout ft., From	<u> </u>	ft., Fr	om 4 Other	ft. t	o ft. to bandone	d water v	
Grout Intervals: Fro What is the nearest s 1 Septic tank	om source of possible 4 Later	cement .ft. to	ft. to 2 Cement grout ft., From 7 Pit privy	<u> </u>	ft., Fr Sentonite ft. to	om Other ft., From estock pens I storage	14 A	o ft. to bandone il well/G	d water v	ft. well
Grout Intervals: Fro What is the nearest s	om source of possible	cement .ft. to	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I	agoon	ft., Fr Sentonite ft. to	om 4 Other	14 A	o ft. to bandone il well/G	d water v	ft. well
Grout Intervals: Fro Vhat is the nearest s 1 Septic tank 2 Sewer lines	om source of possible 4 Later	cement .ft. to5 contamination: ral lines s pool	ft. to 2 Cement grout ft., From 7 Pit privy	agoon	ft., Fr Bentonite 4 ft. to	om Other ft., From estock pens I storage	14 A	o ft. to bandone il well/G	d water v	ft. well
Grout Intervals: From the American From the From Tone Fr	om	cement .ft. to5 contamination: ral lines s pool	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I	agoon	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From Mhat is the nearest some 1 Septic tank 2 Sewer lines	om	cement .ft. to5 contamination: ral lines s pool	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	agoon	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From Mhat is the nearest so served to the following served to	om	cement .ft. to	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	agoon	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Prout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO	om	cement ft. to . 5 contamination: ral lines s pool page pit LITHOLOGIC	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard	agoon	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Prout Intervals: From Property Service tank 2 Sewer lines 3 Watertight servicection from well? FROM TO	cource of possible 4 Later 5 Cess wer lines 6 Seep	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight sero Direction from well? FROM TO C I I Sero Sero Sero Sero Sero Sero Sero Sero	cource of possible 4 Later 5 Cess wer lines 6 Seep	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOMIN	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
From TO	cource of possible 4 Later 5 Cess wer lines 6 Seep Concr Dark Silty Cl	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOMIN	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight sero Direction from well? FROM TO C I I Sero Sero Sero Sero Sero Sero Sero Sero	cource of possible 4 Later 5 Cess wer lines 6 Seep	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOMIN	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight set Direction from well? FROM TO C 1	cource of possible 4 Later 5 Cess wer lines 6 Seep Concr Dark Silty Cl	cement ft. to . 5 contamination: ral lines s pool page pit LITHOLOGIC CONOMN LITHOLOGIC CONOMN LITHOLOGIC CONOMN CLAY SA	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight sero Direction from well? FROM TO 1 1 1 5 5 5 5 5 7	cource of possible 4 Later 5 Cess wer lines 6 Seep Concy Dayk Silty Cl Brown Silty And 9	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOWN Weny Clay 5/a	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Frout Intervals: From the nearest solution of the near	cource of possible 4 Later 5 Cess wer lines 6 Seep Concr Dayk Silty Cl Brown Silty Arrow Drown	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOMI CLAY 5/a CLAY 5/a	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From the second of the seco	Concre Dayk Charles Silty Cl Brown Silty Ch Brown Moist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONVIN	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG LOG TYM Plast	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight sero Direction from well? FROM TO 1 1 1 5 5 5 5 5 7	Concre Darkt Silty Cl Brown Silty Aroun Moist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CLAY SA CLA	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From the search of the sear	Concre Silty Cl Brown Silty And S Brown Maist And S AT AT	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOM CLAY SA CLAY	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite 6 ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft well
Grout Intervals: From the service of	Concre Silty Cl Brown Silty Brown Maist Maist Maist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOM CLAY SA CLAY	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite ft. ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From the service of	Concre Silty Cl Brown Silty Brown Maist Maist Maist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONSTRUCT CONST	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite ft. ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Frout Intervals: From the series of the seri	Concre Silty Cl Brown Silty And S Brown Maist And S AT AT	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONOM CLAY SA CLAY	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite ft. ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft well
Grout Intervals: From the service of	Concre Silty Cl Brown Silty Brown Maist Maist Maist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONSTRUCT CONST	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite ft. ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight service of the Septic tank 2 Sewer lines 3 Watertight service of the Septic tank 2 Sewer lines 3 Watertight service of the Septic tank 2 Sewer lines 3 Watertight service of the Septic tank 2 Septi	Concre Silty Cl Brown Silty Brown Maist Maist Maist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONSTRUCT CONST	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite ft. ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight sero Direction from well? FROM TO I I I I I I I I I I I I I I I I I I	Concre Silty Cl Brown Silty Brown Maist Maist Maist	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONSTRUCT CONST	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr Bentonite ft. ft. to	om 4 Other	14 A 15 O 16 O	o ft. to bandone il well/G ther (sp	ed water vas well ecify belo	ft. well
Grout Intervals: From What is the nearest so a Septic tank 2 Sewer lines 3 Watertight seed Direction from well? FROM TO C I I I I I I I I I I I I I I I I I I	Concre Darke Silty Cl Brown Silty Aroun Silty Aroun Silty Aroun Silty Silty Ar	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC Clay No c Clay Sa C	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Freentonite ft. to	om 4 Other	ft. t	o ft. to bandone il well/G ther (spo	ad water vas well ecify below	well www
Grout Intervals: From the second of the seco	Concre Darke Silty Cl Brown Silty Araba Srown Silty Araba Srown Sold SAT AT Drown Silty OR LANDOWNER	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CONSTRUCT CLAY 5 CLA	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr. Bentonite ft. to. 10 Live 11 Fue 12 Fert 13 Inse How m M TO	om 4 Other	ft. t	o	ad water vas well ecify below.	n and was
Grout Intervals: From the series of the seri	Silty Cl. Brown Silty Cl. Brown Silty Cl. Brown Silty And S Drown Moist An Sub SAT AT Drown Silty OR LANDOWNER	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC POWN LITHOLOGIC Clay 5/a Clay 5	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG Tirm plast Door fine ground And Roun Granges To ado r Coarse gr	agoon FRO	ft., Fr. Bentonite ft. to. 10 Live 11 Fue 12 Fert 13 Inse How m M TO Instructed, (2) rec and this rec	om 4 Other	ft. t	o	ad water vas well ecify below.	n and was
Grout Intervals: From the second of the seco	Silty Cl. Brown Silty Cl. Brown Silty Cl. Brown Silty And S Drown Moist An Sub SAT AT Drown Silty OR LANDOWNER	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC POWN LITHOLOGIC Clay 5/a Clay 5	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG	agoon FRO	ft., Fr. Bentonite ft. to. 10 Live 11 Fue 12 Fert 13 Inse How m M TO Instructed, (2) rec and this rec	om 4 Other	ft. t	o	ad water vas well ecify below.	well and was
Grout Intervals: From the service of	CONCY Davk Silty Cl Brown Silty And B Brown Silt	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC POWN LITHOLOGIC Clay 5/a Clay 5	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG Tirm plast Door fine ground And Roun Granges To ado r Coarse gr	agoon FRO	ft., Fr. Bentonite ft. to. 10 Live 11 Fue 12 Fert 13 Inse How m M TO Instructed, (2) rec and this rec	om 4 Other ft., From stock pens I storage cilizer storage any feet? PL constructed, or (3) p ord is true to the beat on (mo/day/yr)	ft. t	o	ad water vas well ecify below.	well and was
Arout Intervals: From Vhat is the nearest so sever lines as Watertight sevolirection from well? FROM TO I I I I I I I I I I I I I I I I I I	CONCY Davk Silty Cl Brown Silty And B Brown Silt	cement ft. to 5 contamination: ral lines s pool page pit LITHOLOGIC CLAY SA CLA	ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage I 9 Feedyard LOG Tirm plast Door fine ground And Roun Granges To ado r Coarse gr	agoon FRO Well Record	ft., Freentonite ft. to	om 4 Other ft., From stock pens I storage conticide storage any feet? PL constructed, or (3) p cond is true to the beat on (mo/day/yr) ature) Johan Constructed A Other Constructed storage constructed co	In the state of th	o ft. to bandone il well/G ther (spotential of the power of the control of the co	as well ecify below.	m and was