LOCAT	TION OF W	ATER WELL:	FRACTION	Water Well Reco	ord Form WWC-:	KSA 82a-1212 Section Number	Township Number	Range Number	
<u> </u>				NIII	SE 1/4		1	1.0	
					SE 1/4	2	T 27 s	R 1E E/W	
Distance and direction from nearest town or city street address of well if located within city? 2466 N. Fountain Wichita, Kansas									
				<u>chita, K</u>	ansas				
	TER WELL	141111	IN, Charle				B	the terror and the second	
RR#, ST. ADRESS, BOX#: 2466 N. Fountain Board of Agriculture, Divivision of Water Resource									
	STATE, ZII		ita. Kansa					Application Number:	
	E WELL'S I		DEPTH OF COM		112		VATION:		
1	II SECTIO	N N	Depth(s) groundwa	ter Encountered	1	ft.	2 ft.	3 ft.	
[WELL'S STATIC WA	TER LEVEL 3	5 FT	. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	12/29/1995	
	NW	NE	Pump test	data: Well	water was	ft. a	fter hours pum	ping gpm	
۱ ۵	1		Est. Yield	gpm: Well	water was	ft. s	after hours pum	ping gpm	
∰ w		———E F	Bore Hole Diameter	12 in.	to 112	ft.	and in.	to ft.	
= "			WELL WATER TO B	E USED AS:	5 Public water	r supply 8	Air conditioning 11 In	rjection well	
Ι.			1 Domestic	3 Feedlot	6 Oil field wa	ter supply	Dewatering 12 C	ther (Specify below)	
ŀ	5W		2 Irrigation	4 Industrial	7 Lawn and g	garden only 10) Monitoring well		
			Was a chemical/bacter	iological sample s	ubmitted to D	enartment? Yes	No ¥ : If ves. m	o/day/yr sample was	
		S	submitted	lorogrous surripre s	abilities to D		er Well Disinfected? Yes	• • •	
TUBE OF CASING USED.									
	1 Charles and the second secon								
a Till 1								'еюеа hreaded	
	_	4 ABS			_	DR-26			
	sing Diam	•	in. to 30	ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing h	eight abov	ve land surface 12	2 in.,	weight			Vall thickness or gauge No.	.214	
1		N OR PERFORAT		f Fibonaloss		PVC	10 Asbestos-ceme		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Bras	_	4 Galvanized steel		6 Concrete tile	•	ABS	12 None used (op	en hoie)	
SCREE	N OR PEI	RFORATION OPEN	NING ARE:	5 Gau	ızed wrapped		8 Saw cut	11 None (open hole)	
1 Contin	ous slot	3 Mill slot	t	6 Wir	e wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 30 ft. to 112 ft., From ft. to ft.									
			from			r	ft. to		
	GRAVEL PACK INTERVALS: from 24			ft. to ft. to 112		ft., From ft., From		rt.	
	01411	DE THERE IN LEAVE	from	ft. to 112		ft., From	ft. to	ft.	
from ft. to ft., From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other									
Crout Intervals: From A									
		_	ft. to 24	ft. From	ft.	to 10 Livestoci	ft. From	ft. to ft.	
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines			7 Pit privy				14 Abandon water well		
- There is interested in the					11 Fuel stor	150	15 Oil well/Gas well		
l '		5 Cess p		8 Sewage lagoon		12 Fertilize		16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage									
Direction from well? Northwest How many feet? 125									
FROM	ТО		ITHOLOGIC LOG		FROM TO		PLUGGING INTERVALS		
	2	topsoil							
	10	clay							
10	112	blue shal	le						
<u> </u>									
ļļ									
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No23.6									
Under the business name of Harp Well & Pump Service Inc by (signature)									
Jane Frederick									