1 LOCATION OF WATER WELL:			T PRACTION	,	Water Well Re	cord Form W	WC-5	KSA 82a-1212	· · · · · · · · · · · · · · · · · · ·		
			FRACTION	•				Section Number	Township Number	Range Number	
			NE	1/4 NI	S 1/4	NE	1/4	30	T 27 s	R 1E EW	
Distanc	e and direction	frem nearest town or city	y street address of we	ell if located wit	thin city?						
401 S. Seneca Wichita, Kansas											
	ATER WELL			NIC H		-					
	ST. ADRESS	ICILIA C			JME				Roard of Agriculture, D	ivivsion of Water Resource	
L		101	S. Sene								
CITY, STATE, ZIP CODE: Wichita, Kansas									Application Number	r:	
	ATE WELL'S K" IN SECTIO	LOCATION WITH	◆ DEPTH OF				O	ft. ELE	VATION:		
A	- IN SECTIO	N BOX:	Depth(s) gro	undwater I	Encountered	l 1		ft.	2 ft.	3 ft.	
1 1		X	WELL'S STAT	IC WATE	R LEVEL	15	FT.	BELOW LAND SUR	RFACE MEASURED ON mo/day/yr	04/04/1996	
		NE	Pun	ıp test data	: Wel	ll water wa	48	ft. s	after hours pum		
	NW		Est. Yleld	gpi	m: We	ll water wa	96		after hours pum		
N K			Bore Hole Diam		L2 in.				•		
ΣV	V	E					_	ft.	and in.		
l			WELL WATER			5 Public			•	njection well	
lт	sw	sæ	1 Domestic	4.	eedlot				•	Other (Specify below)	
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well										
] +			Was a chemical	/bacteriolog	gical sample	submitted (to De	epartment? Yes	No 🗶 ; If yes, m	o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No											
5 TY	PE OF CA	ASING USED:		51	Wrought iro	en.	8	Concrete tile	CASING JOINTS: G	lued X Clamped	
1 Ste	el	3 RMP (SR)						Other (Specify below) Welded			
2 PV	r	4 ABS		7 F	iberglass				•	hreaded	
	_				•		5	DR-26	_	m caucu	
	asing Dian	•	in. to 24	f	t., Dia		in.	to	ft., Dia in.	to ft.	
	•	ve land surface 1		in.,	welght	2.35		lbs. / ft.	Wall thickness or gauge No.	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement											
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)											
2 Bra	188	4 Galvanized stee	1	6 Cc	ncrete tile		9	ABS	12 None used (op	en hole)	
SCRE	EN OR PE	RFORATION OPE	NING ARE:		5 G	auzed wrap	hon		8 Saw cut	11 None (open hole)	
	inous slot	3 Mill slo				ire wrapped	-		9 Drilled holes	(-1	
							•				
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)											
SCREEN-PERFORATION INTERVALS: from 24 ft. to 40 ft., From ft. to										ft.	
1			from	ı		ft. to		ft., From	ft. to	ft.	
GRAVEL PACK INTERVALS: from 24				24	ft. to 40		j	ft., From	ft. to	ft.	
			from			ft. to		ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										hole plug	
Grout Intervals: From 4 ft. to 24 ft. From ft. to ft. From ft. to											
What is the nearest source of possible contamination:					it from		16.	10 Livestoc			
1 Septic tank 4 Lateral lines					7 Pit privy			11 Fuel sto		14 Abandon water well	
T Take I III III III III III III III III III								12 Fertiliz	130	15 Oil well/Gas well	
	2 Sewer lines 5 Cess pool				8 Sewage lagoon				dda atawara	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent										Apparent	
Direction from well? How many feet?											
FROM			LITHOLOGIC I	LOG		FRO	<u>M</u> C	TO	PLUGGING INTER	RVALS	
0	3	topsoil									
3	10	clay									
10	20	medium s	and								
20	40	medium c		and						.03 7	
-				199.30						A4	
				A11-11-				 			
-	-										
	1									-	
								+			
						- 		-	***		
								+			
	<u> </u>										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and											
was completed on (mo/day/year)											
Well Contractor's License No											
Under the business name of Harp Well & Pump Service, Inc. by (signature)											
331						,			lane F	radarich	
									kone o	www www	