				Wa	ater Well Recon	d Form WWC-				
		ATER WELL:	FRACTION				Section Number	Township Number	Range Number	
	Sedgy	<u>vick</u>	NW	1/4 NW	1/4	NE 1/4	29	<u>т 27 s</u>		
Distance and direction from nearest town or city street address of well if located within city?										
Corner of Maple and McLean Wichita, Kansas										
2 WATER WELL OWNER: CITY OF WICHITA										
	ST. ADRESS	V	N. Main					Board of Agriculture, D	livivsion of Water Resource	
1	, STATE, ZII		hita, Kar				67203			
						40		Application Number	<u>r: 960007</u>	
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL 40 ft. ELEVATION:										
N Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.										
		X	WELL'S STAT	C WATER L	EVEL 1	5 FI	. BELOW LAND S	URFACE MEASURED ON mo/day/yr	04/04/1996	
Pump test data: Well water was ft. after hours pumping									iping gpm	
			Est. Yield	gpm:	Well	water was	ft.	after hours pum	iping gpm	
Mile A	,	E	Bore Hole Diame	ter 12	in.	to 40	ft.	and in.	to ft.	
Į Σ ₩		Ľ	WELL WATER	_		5 Public wate			njection well	
			1 Domestic	3 Feed		6 Oil fleld w		8	Other (Specify below)	
	SW	SE		4 Indu		7 Lawn and		10 Monitoring well	Juici (Speeny below)	
			2 Irrigation				•	•		
+			Was a chemical/	bacteriologics	al sample su	ibmitted to D	•		no/day/yr sample was	
		S	submitted				W	ater Well Disinfected? Yes	X No	
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped										
1 Stee	ł	3 RMP (SR)			estos-Ceme	ent g	Other (Specify		Velded	
2 PV(4 ABS		7 Fibe	rglass		DR-26	,	Threaded	
-	-		in. to 20		5					
	asing Diam	•		ft.,	Dia	in • = = 4		ft., Dia in.	to ft.	
-				in., L	weight 5		lbs. / ft.	Wall thickness or gauge No. 10 Asbestos-cem	.332	
		EN OR PERFORA	HON MATERIA		alose		7 <u>PVC</u>			
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)										
2 Bra	55	4 Galvanized stee	el	6 Conc	rete tile		9 ABS	12 None used (o)	pen hole)	
SCREE	N OR PE	RFORATION OPE	ENING ARE:		5 Gau	zed wrapped		8 Saw cut	11 None (open hole)	
1 Conti	nous slot	3 Mill sl	ot		6 Wire	e wrapped		9 Drilled holes		
2 Louve	ered shutte	r 4 Key pu	unched		7 Torc	h cut		10 Other (specify)		
									ft.	
from					ft. to		ft., Fro		ft.	
	GRAV	EL PACK INTERV		20	ft. to 40		ft., Fro	••	ft.	
			from			<u>. to</u>	ft., Fro		a	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug										
Grout Intervals: From O ft. to 20 ft. From ft. to ft. From ft. to ft.										
							Abandon water well			
1 Septic tank 4 Lateral lines					7 Pit privy		11 Fuels	torage 15 (15 Oil well/Gas well	
2 Sewer lines 5 Cess pool				8:	8 Sewage lagoon		12 Ferti	lizer storage 16 0	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent										
Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS										
	1	topsoil	<u>Entitioned E</u>			TROM		TLOGGING INTE	NVALO	
0	4			······································	······································					
4	15		ine sand							
15	35		coarse sa	nd						
35	40	shale								
	L									
	 					1	1			
	1	·	· -							
				······································						
	 									
	 									
ļ			<u></u>							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and										
was completed on (mo/day/year)										
Well Contractor's License No										
Under	the busin	ess name of Ha	rp Well	& Pump	Serv	ice, I	DC by (eight	nature)		
Under the business name of Harp Well & Pump Service, Inc. by (signature)										
								zane d	www.uck	